VOLUME 85 • AUTHOR INDEX

Abay J. Appropriate prescription of epinephrine remains the best

available treatment: letter, 513 Abinun M see Kane L et al Abrahamsson K see Hedbäck G et al Achiron A see Hering-Hanit R et al Achiron R see Hering-Hanit R et al Ainsworth JR see Boyle EM et al

Ala-Houhala M see Backström MC et al Al-Awary BH see Manzar S et al Albanese A et al. Management of hyponatraemia in patients with

acute a et al. Avanagement of hypacute cerebral insults, 246
Alexander J see Greenough A et al
Al-Faraidy A see Manzar S et al
Alison LH see Keen J and Alison LH
Alloub ZI see Narendra A et al
Al-Rawas S see Julu POO et al

Al-Rawas S see Julu POO et at
Al-Saad S see Barr S and Al-Saad S
Al-Umran K see Manzar S et al
Alves B, Sheikh A. Age specific aetiology of anaphylaxis: letter, 349
Alvi NS et al. Diabetic ketoacidosis in Asian children, 60
Al-Wahab S, Munyard P. Functional atrioventricular block in a
preterm infant, F220
Amir Lee Strauscherg R et al

Amir J see Straussberg R et al Amoaku WM see Browning AC et al Anand KJS see Chana SK et al Andersen EA see Nielsen HE et al
Andersen I see Nielsen HE et al
Andersen M see Arnestad M et al
Anderson D see Andrews R et al
Anderson S see Hytinantti TK et al
Anderws R et al. Outcome of staged reconstructive surgery for

hypoplastic left heart syndrome following antenatal diagnosis, 474

Andria G see Toscano E et al Angelsen NK et al. Breast feeding and cognitive development at age

1 and 5 years, 183

Annamalai S see Manktelow BN et al
Apartopoulos F see Julu POO et al
Appleton RE see Gupta R and Appleton RE
Archer N see Arlettaz R et al
Archivist A mother and bingo, 25

A paediatric axiom, 262

A problem of information, 434

Breath holding, 61 Dummies, 385 Epilepsy and mortality, 420 Fat, fat, fat, 243

Glue ear, grommets, and adenoids, 103 Headache classification, 165

Hiding place for mycobacteria, 22

Helicobacter pylori in minority group children, 285

Mannose binding lectin, 201 Parental smoking, 182

Pathology of nonaccidental brain injury, 473

Physiotherapy for cerebral palsy, 90

Pneumococcal conjugate vaccine and otitis media, 28

The trauma of acne, 491

Arda IS et al. Fine needle aspiration biopsy of thyroid nodules, 313

Argent A see Hatherill M et al

Arioni C see Mazzella M et al

Arlettaz R et al. Closure of the ductus arteriosus and development of pulmonary branch stenosis in babies of less than 32 weeks gestation, F197

Armon K et al. An evidence and consensus based guideline for acute diarrhoea management, 132

Arnestad M et al. Changes in the epidemiological pattern of sudden infant death syndrome in southeast Norway, 1984–1998: implications for future prevention and research, 108

Assimadi JK see Gbadoé AD et al

Atakouma Y see Gbadoé AD et al

Atra AA see Pandya NA et al

Aubrey WR, Yoxall CW. Evaluation of the role of the neonatal nurse practitioner in resuscitation of preterm infants at birth,

Austin C see Andrews R et al Aynsley-Green A see Charmandari E et al

Backström MC et al. Genetic determinants of bone mineral content in premature infants, F214
Bahadur G et al. Fertility preservation in children—scientific advances, research dilemmas, and ethics of consent: letter, 443

Baines P see Thorburn K et al Baker E see Andrews R et al Baker J see Quinn MW and Baker J

Bakkaloglu A et al. The significance of antineutrophil cytoplasmic antibody in microscopic polyangitis and classic polyarteritis nodosa, 427 Bakketeig LS see Angelsen NK et al

Bamiou D-E et al. Aetiology and clinical presentations of auditory processing disorders—a review: current topic, 361

Banerjee S, Evans RW. Life threatening airway obstruction in a

newborn following ingestine of sterilising tablet: letter, 443

Barley M see Kendrick D et al

Barnes J see Conroy RM et al

Barr S, Al-Saad S. A rare cause of respiratory distress: letter, F225

Barrett AM see Leonard H et al Bar-Sever Z see Straussberg R et al Barton C, Pollitzer M. Haemoglobinopathy as a cause of nucleated red cells in the fetus and neonate: letter, **F147 Baskin E** see Bakkaloglu A et al

Baskin E see Bakkaloglu A et al
Bastian-Lee Y see Chavasse RJ et al
Baty D see Lee WS et al
Bauchner H see Space S et al
Bauchner H. Changing the US healthcare system, 202
Baumer H see Armon K et al
Beath SV see Lee WS et al
Beathe J see Narendra A et al
Becoft DMO et al. Nasal and intrapulmonary haemorrhage in
sudden infant death syndrome, 116
Bedford HE see Filiman DAC et al

Bedford HE see Elliman DAC et al

Bellini C see Mazzella M et al Bennett KE et al. Behaviour and developmental effects of otitis

Bennett KE et al. Behaviour and developmental effects of otitis media with effusion into the teens, 91
Bennett-Wood V see Elliott EJ et al
Bental V see Weintraub Z et al
Berlin G see Ludvigsson J et al
Besbas N see Bakkaloglu A et al
Besbas N see Bakkaloglu A et al
Bétrémieux P see Hartnoll G et al
Bhatia C et al. Octreotide therapy: a new horizon in treatment of iatrogenic chyloperitoneum, 234
Biagioni O see Ferrari F et al
Bines IE see Haslam RHM et al

Bines JE see Haslam RHM et al

Bitsori M et al. Facial nerve palsy associated with Rickettsia conorii infection, 54
Bloomfield L see Wolke D et al

Boomheid L see Wolke D et al
Boer MAK see Boshuizen HC et al
Bonacci W see Mazzella M et al
Book reviews Dubowitz L. The Neurological Assessment of the
Preterm and Full-term Newborn Infant, F78

Gillberg C, Coleman M. The biology of autistic syndromes, 81

Hindmarch C. On the death of a child, 80 Holschneider AM, Puri P, editors. Hirschsprung's disease and allied

disorders, 81 Ryan M. Working with fathers, 80

Spencer N. Poverty and child health, 349

Spencer N. Poverty and child health, 349
Steen G, Mirro J, editors. Childhood cancer: a handbook from St Jude Children's Research Hospital, 80
Pountney TE, Mulcahy CM, Clarke SM, Green EM. The Chailey approach to postural management, 175
Boorman J see Greenough A et al
Booy R et al. Reduction in case fatality rate from meningococcal disease associated with improved healthcare delivery, 386

Borovnicar DJ see Haslam RHM et al
Boshuizen HC et al. Costs of different strategies for neonatal
hearing screening: a modelling approach, F177
Bothwell J et al. Port-A-Cath use in refractory seizure disorders:

Bothwell J et al. Port-A-Cath use in refractory seizure disorders: letter, 510
Böttiger B see Nielsen HE et al
Bourke B see Sharif F et al
Bourke J see Elliott EJ et al
Boyle EM et al. Ophthalmic Pseudomonas infection in infancy, F139
Brand PLP see Kamps AWA et al
Brennan PO, Norton K. Oliver Twist, textbook of child abuse:
current topic, 504
Britto J see Booy R et al
Brogan PA see Richards C et al
Brook CGD see Charmandari E et al
Brook GCD see Charmandari E et al
Browning AC et al. Visual outcome of malignant hypertension in

Browning AC et al. Visual outcome of malignant hypertension in young people, 401

Bucens IK see Isbister GK et al

Bujanover Y see Somekh E et al Bujusu S see Koul R et al Burchell B see Lee WS et al

Burgess S see Greenough A et al Burmester M et al. Disseminated candidiasis after steroid treatment for early neonatal hypotension: letter, F226

Bush A see Equi AC et a see Nicholson AG et al Buss P see Rangaraj S et al Butler CC, MacMillan H. Does early detection of otitis media with effusion prevent delayed language development?, 96

Cairns P see Harding D et al Caldwell NA et al. Medication errors are NOT uncommon: letter,

174
Calevo MG see Mazzella M et al
Callahan CW see Pitney AC et al
Campbell AN see Boyle EM et al
Campbell C see Hain RDW and Campbell C
Campone F see Mazzella M et al
Cant AJ see Kane L et al
Carapetis JR, Currie BJ. Rheumatic fever in a high incidence population: the importance of monoarthritis and low grade fever, 223

Rheumatic fever in a high incidence population: the importance of monoarthritis and low grade fever, 321

Carlin J see Shetty AK et al

Carpenter K et al. Evaluation of newborn screening for medium

hain acyl-CoA dehydrogenase deficiency in 275 000 babies, F105

Carty H see Nicholson AG et al

Cavazzuti GB see Ferrari F et al
CD ROM review Evans N, Malcolm G. Practical echocardiography
for the neonatologist, F226
Chacko A see Koul R et al

Chana SK et al. Can we use methadone for analgesia in neonates?: leading article, F79

Chapman S see Davison SM et al

Charmandari E et al. Congenital adrenal hyperplasia: management during critical illness, 26

Chavasse RJ et al. Persistent wheezing in infants with an atopic

tendency responds to inhaled fluticasone, 143
Chetcuti PAJ see Greenough A et al
Cheung W-Y see Williams J et al
Chiswick M. Parents and end of life decisions in neonatal practice:

-what's new?: leading article, F149

Chiswick M. Parents and end of life de leading article, F1
Choo S see Lakshman R et al
Christiansen KM see Nielsen HE et al
Chumas P et al. Hydrocephalus—what
Cislaghi GU see Rusconi F et al
Clarke J see Richards C et al
Clarke J see Richards C et al Clarke DJ see Lee WS et al Clayton PE see Patel L et al

Cloke J see Kendrick D et al

Cochran D see Grant L et al
Cole GF see Patrick JH et al
Coles S see Greenough A et al
Collier J see Wells LC et al
Collins MSR, Eaton-Evans J. Growth study of cri du chat

syndrome, 337

Colver AF see Strauss D et al

Colvin M see Pillay K et al

Conroy RM et al. Solar disinfection of drinking water protects
against cholera in children under 6 years of age, 293

Cooke RWI see Fellick JM et al see Yoxall CW et al Cooper C see Heal C and Cooper C

Coovadia HM see Pillay K et al
Coulthard M see Oddie S et al
Coulthard MG et al. DMSAs after UTI—scan more children, not

tter, 348

Couriel JM see Patel L et al Coutinho HM et al. De novo malignancy after paediatric renal replacement therapy, 478

Cowan F see Harding D et al Cox S see Greenough A et al Cronin T see Lewendon G et al Crooks BNA see Kane L et al

Crossland D, de La Morandiere KP. Alcopops are not responsible for acute paediatric attendances with alcohol intoxication: letter, 268

Crushell E see Sharif F et al

Crushell E et al. Intussusception associated with bacterial meningitis, 56 Currie BJ see Carapetis JR and Currie BJ see Carapetis JR and Currie BJ

Dacan DC see Kukurin GW and Dacan DC
Dalal I see Somekh E et al
Danzig L see Lakshman R et al
Darling JC et al. Placement of neonatal central venous catheter tips in the right atrium: a practice to be avoided?: letter, F146

In the right atrium: a practice to be avoided?: letter, F146
Daugbierg P see Nielsen HE et al
Davidson P see Richards C et al
Davies J see Equi AC et al
Davies M see Davis P et al
Davies P see Alvi NS et al
Davies P et al. Acute nicotine poisoning associated with a traditional remedy for eczema, 500
Davies SC see Roberts-Harewood M and Davies SC

Davis P et al. A randomised controlled trial of two methods of delivering nasal continuous positive airway pressure after extubation to infants weighing less than 1000 g: binasal

(Hudson) versus single nasal prongs, F82

Davison SM et al. ^{99m}Tc-HMPAO leucocyte scintigraphy fails to detect Crohn's disease in the proximal gastrointestinal tract, 43

Davkin O see Weintraub Z et al

Dawson A see Isbister GK et al

Dear PRF see Darling JC et al

Deary IJ see Shenkin SD et al

Debillon T et al. Development and initial validation of the EDIN scale, a new tool for assessing prolonged pain in preterm infants, F36

de Buys Roessingh AS et al. Dipstick measurements of urine specific gravity are unreliable, 155

Dehan M see Debillon T et al de La Morandiere KP see Crossland D and de La Morandiere KP

Delhaas T see Häusler M et al Demirbilek H see Yapakçi E et al Demirhan B see Arda IS et al de Munter C see Booy R et al

Deshpande SA see Embleton ND et al Dessypris N see Trogan I et al Devins M see Crushell E et al Dimmock PW see Jones E et al

Dinesen SJ, Greisen G and Victorian Infant Collaborative Study Group. Quality of life in young adults with very low birth veight, F165

Dobbelaere D see Mention K et al Donaldson MDC see Galloway PJ et al

Dooley J see Bothwell J et al Dorland L see Frenkel J et al

Doull IJM. Recent advances in cystic fibrosis, 62

Doyle LW. Outcome at 14 years of extremely low birthweight infants: a regional study, F159

Draper ES see Manktelow BN et al Driver CP see Kenny SE et al Drukker A see de Buys Roessingh AS et al

Dunger DB see Edge JA et al

Dunn PM. Jacob Rueff (1500–1558) of Zurich and The expert

midwife: perinatal lesson, F222 Julius Hess, MD, (1876–1955) and the premature infant: perinatal lesson, F141

Sir Hans Sloane (1660-1753) and the value of breast milk: perinatal lesson, F73

Dunne K see Crushell E et al

Durbin GM see Pal BR et al

Eastham KM et al. ARC syndrome: an expanding range of phenotypes, 415
Eaton-Evans J see Collins MSR and Eaton-Evans J
Eccleston P see Armon K et al
Edge JA et al. The risk and outcome of cerebral oedema developing

during diabetic ketoacidosis, 16
Eich G see Güngör T et al

Elliman DAC et al. MMR vaccine-worries are not justified: leading

Elliott EJ et al. Nationwide study of haemolytic uraemic syndrome: clinical, microbiological, and epidemiological features, 125
Embleton ND et al. Foot length, an accurate predictor of

nasotracheal tube length in neonates, F60
Engel-Bicik I see Güngör T et al
Engerström IW see Julu POO et al

Engerström L see Julu POO et al Equi AC et al. Use of cough swabs in a cystic fibrosis clinic, 438

Ernerudh J see Ludvigsson J et al Evans GS see Rao WH et al Evans RW see Banerjee S and Evans RW

Ewer AK see Grant L et al

Faber B see Davis P et al Fang S et al. Prediction of early tolerance to enteral feeding in preterm infants by measurement of superior mesenteric artery blood flow velocity, F42 Fekete A see Szabó AJ et al

Fellick JM et al. Neurodevelopmental outcome in meningococcal

disease: a case-control study, 6 Neurological soft signs in mainstream pupils, 371 Fellman V see Saarenmaa E et al

Ferrari F et al. Early intracardiac thrombosis in preterm infants and thrombolysis with recombinant tissue type plasminogen

activator, F66
Field D see Manktelow BN et al
Finn A see Lakshman R et al

see Rao WH et al Fitzgerald DA see Isaacs D et al Flanagan O see Crushell E et al

TJ see Kane L et al Fok TF et al. Oxygen consumption and resting energy expenditure during phototherapy in full term and preterm newborn infants, F49

Foote K see Galogavrou M and Foote K

Fowlie PW see McHaffie HE et al

see McHaffie HE et al Fraser S see Hacking D et al Freeburn AM, McAloon J. Infantile chest hamartoma—case outcome aged 11, 244

Frenkel J et al. Increased urinary leukotriene E₄ during febrile attacks in the hyperimmunoglobulinaemia D and periodic fever syndrome, 158

Fýrat S see Arda IS et al

Gagliardi L see Rusconi F et al Galanakis E see Bitsori M et al

Galloway PJ et al. Sex hormone binding globulin concentration as a prepubertal marker for hyperinsulinaemia in obesity, 489 Galogayrou M, Foote K. Using a modified nasopharyngeal airway

in Pierre Robin syndrome: letter, F76 Gamsu HR see Fang S et al Ganesh A see Koul R et al

 ${f Gargano}\ {f G}$ see Ferrari F et al ${f Gbado\acute{e}}\ {f AD}$ et al. Management of sickle cell priapism with etilefrine,

Gennery AR see Kane L et al Glasgow JFT, Middleton B. Reye syndrome—insights on causation and prognosis: leading article, 351

Glazebrook C see McPherson A et al Gleeson J see Crushell E et al Gnanalingham MG et al. A national review of neonatal resuscitation programmes for midwives: letter, F145 Goldring S see Richards C et al

Goldsmith J. Dr Henryk Goldszmit (Janusz Korczak) 1878-1942,

Gómez-Martinez G see Vargas-Origel A et al Good WV see Hoyt CS and Good WV Gordon K see Bothwell J et al Gottrand F see Mention K et al Granholm T see Hedbäck G et al

Grant L, Macdonald P. Medicines for children and gentamicin

Grant L et al. Can pH monitoring reliably detect gastro-oesophageal reflux in preterm infants?, F155

Greene S see Edge JA et al.

Greenough A et al. Health care utilisation of infants with chronic

lung disease, related to hospitalisation for RSV infection, 463 Greenwood C see Impey L et al

Greenwood C see Impey L et al
Gregson RM see Browning AC et al
Greisen G see Dinesen SJ, Greisen G and Victorian Infant
Collaborative Study Group
Groothoff JW see Courinho HM et al
Grunnet-Nilsson N, Wiberg J. Infantile colic and chiropractic
spinal manipulation: letter, 268
Gruppen MP see Courinho HM et al
Gu J-S see Fok TF et al
Guignard J-P see de Buys Roessingh AS et al
Guignard D see Mention K et al

Guimber D see Mention K et al
Gungör T et al. Diagnostic and therapeutic impact of whole body
positron emission tomography using

fluorine-18-fluoro-2-deoxy-d-glucose in children with chronic granulomatous disease, 341

Gupta R, Appleton RE. Cerebral palsy: not always what it seems: current topic, 356
Gupta S see Harding D et al

Gur-Guven A see Bakkaloglu A et al

Habibi P see Booy R et al

Hacking D see Nicholson AG et al Hacking D et al. Respiratory distress syndrome and antenatal corticosteroid treatment in premature twins: letter, F77

Haggard MP see Bennett KE et al Hain RDW, Campbell C. Invasive procedures carried out in conscious children: contrast between North American and European paediatric oncology centres, 12

Halliday HL see Reynolds P et al

Sweet DG et al

see Sweet DG et al

Hambleton IR see Serjeant GR et al

Hansen S see Julu POO et al

Harding D et al. Hypernatraemia: why bother weighing breast fed
babies?: letter, F145

Harel L see Straussberg R et al

Harrison C et al. Who is failing abused and neglected children?, 300

Hart CA see Fellick JM et al

see Fellick JM et al

Hart CT see Thorburn K et al

Hartley B see Tillet A et al

Hartley B see Tillett A et al Hartnoll G et al. Randomised controlled trial of postnatal sodium supplementation in infants of 25-30 weeks gestational age: effects on cardiopulmonary adaptation, F29 **Haslam RHM** et al. Correlates of prepubertal bone mineral density

in cystic fibrosis, 166

Hassan JA see Raupp P et al

Hatherill M et al. Severe upper airway obstruction caused by ulcerative laryngitis, 326

Häusler M et al. Long term complications of inferior vena cava

thrombosis, 228

Hawkins MM see Edge JA et al

Heaf D see Nicholson AG et al

Heal C, Cooper C. Other implications of disposable nappies: letter, 269

Heath D see Carpenter K et al
Hedbäck G et al. The epidemiology of infantile hypertrophic pyloric
stenosis in Sweden 1987–96, 379
Heininger U. World wide wasting?, 46

Henderson MJ see Hendriksz CJ et al
Hendriksz CJ et al. Successful treatment of carbohydrate deficient
glycoprotein syndrome type 1b with oral mannose, 339

Henning P see Elliott EJ et al

Hering-Hanit R et al. Asymmetry of fetal cerebral hemispheres: in utero ultrasound study, F194

Hey E. Two sacred cows of neonatal intensive care—Authors' response: letter, F76
Heymans HSA see Coutinho HM et al

Hilliard T see Chavasse RJ et al Hindmarsh P see Albanese A et al

see Bahadur G et al

see Bahadur G et al
Hindmarsh PC see Charmandari E et al
Hoff WV see Eastham KM et al
Hogg GG see Elliott EJ et al
Hope PL see Huddy CLJ et al
Hossle JP see Güngör T et al
Hourihane J. Controversies in paediatrics?: letter, 512
Hout CS. Good WV. The popy challenges of childhou

Hoyt CS, Good WV. The many challenges of childhood blindness: editorial, 452 Hubner D see Häusler M et al

Huddy CLJ et al. Educational and behavioural problems in babies of 32–35 weeks gestation, F23
Hughes DK see Caldwell NA et al
Hume R see McHaffie HE et al
Husberg B see Hedbäck G et al
Husberg at al. Prenatal bowel dilatation: congenital chloride

diarrhoea, F65 Hutchings H see Williams J et al

Hutton JL see Strauss D et al Huttunen P see Saarenmaa E et al Hytinantti TK et al. Postnatal changes in concentrations of free and

bound leptin, F123

Impey L et al. The relation between pre-eclampsia at term and neonatal encephalopathy, F170
 Imtiaz F see Hendriksz CJ et al

Irvine T see Kenny SE et al Isaacs D et al. Hospital acquired computervirus infections, 496 Isbister GK et al. Neonatal paroxetine withdrawal syndrome or actually serotonin syndrome?: letter, F147 Paracetamol overdose in a preterm neonate, F70

Isobe K see Kondo M et al Itoh S see Kondo M et al

Jackson S see Williams J et al **Jacobsen G** see Angelsen NK et al **Jamal GA** see Julu POO et al

Jenkins HR. Inflammatory bowel disease, 435 Johansson C see Ludvigsson J et al

Johnson A see Huddy CLJ et al Johnston A see Charmandari E et al Jones E et al. A randomised controlled trial to compare methods of milk expression after preterm delivery, F91

Jones I see Lakshman R et al

Jones I see Lakshman R et al
Jones JG see Smith HL and Jones JG
Jones M see Richards C et al
Jones MO see Kenny SE et al
Joyce T see Conroy RM et al
Julu POO et al. Characterisation of breathing and associated central autonomic dysfunction in the Rett disorder, 29

Juntunen M see Hytinantti TK et al

Kamps AWA et al. Effect of bacterial filters on spirometry measurements, 346 Kane L et al. Neonatal bone marrow transplantation for severe

combined immunodeficiency, F110

Karonen S-L see Hytinantti TK et al
Karstadt L see Wolke D et al
Kasapçopur O see Bakkaloglu A et al
Keen J, Alison LH. Drug misusing parents: key points for health
professionals, 296

Keir DG see Hendriksz CJ et al Keir MJ see Coulthard MG et al

Kelly DA see Lee WS et al see Lee WS et al Kelsall AWR see Wardle SP et al

Kempley ST see Fang S et al Kendrick D et al. Randomised controlled trial assessing the impact of increasing information to health visitors about children's injuries, 366

Kenny SE et al. Double blind randomised controlled trial of topical

Kenny SE et al. Double blind randomisec glyceryl trinitrate in anal fissure, 404 Kerr AM see Julu POO et al Kester ADM see van Mil EGAH et al Kharasch See Space S et al Kibirige MS see Patel L et al Kilham HA see Isaacs D et al Kinder S see Street K et al King S we L ewengho G et al

Kinra S see Lewendon G et al
Kirk JMW see Alvi NS et al
Kirkham FJ. Non-traumatic coma in children, 303
Kjaergaard S et al. Congenital disorder of glycosylation type Ia
(CDG-Ia): phenotypic spectrum of the R141H/F119L genotype,

Knight J see Elliott EJ et al Koeppen-Schomerus G et al. Genes and environment in asthma: a

Koeppen-Schomerus G et al. Genes and environment in asthma: a study of 4 year old twins, 398
Koistinen HA see Hytinantti TK et al
Koivisto AM see Backström MC et al
Koivisto VA see Hytinantti TK et al
Kokai G see Nicholson AG et al
Kondo M et al. Time of closure of ductus venosus in term and preterm neonates, F57
Koul R et al. Vigabatrin associated retinal dysfunction in children with epilepsy, 469
Krishnamurthy PN see Shetty VB et al
Kristiansson B see Raupp P et al
Kukurin GW, Dacan DC. Diluted treatment effects?: letter, 268
Kumar Y et al. Time to positivity of neonatal blood cultures, F182
Kunikata T see Kondo M et al
Kusaka T see Kondo M et al
Kusaka T see Gbadoé AD et al

Laing IA see McHaffie HE et al

Lakshman R et al. Safety of a new conjugate meningococcal C vaccine in infants, 391

Lam PKW see Sung RYT et al

Lambert HJ see Coulthard MG et al Lamont GL see Kenny SE et al Lappin TRJ see Reynolds P et al see Sweet DG et al Larsen SO see Nielsen HE et al Lau P see Sung RYT et al

Lee TWR et al. Routine neonatal examination: effectiveness of trainee paediatrician compared with advanced neonatal nurse ractitioner, F100

Lee WS et al. Bile bilirubin pigment analysis in disorders of bilirubin metabolism in early infancy, 38 Serum ferritin level in neonatal fulminant liver failure: letter, F226

Lehman D see Somekh E et al Lenney W see Greenough A et al Lenton S see Stallard P et al

Leonard H et al. The influence of congenital heart disease on

survival of infants with oesophageal atresia, F204
Leonard JV see Lund AM and Leonard JV
Lessing D. Continuing care—a continuing dilemma: leading article, 354

Levin AV see Boyle EM et al
Levy S see Davies P et al
Lewendon G et al. Should children with developmental and
behavioural problems be routinely screened for lead?, 286
Lewis VE et al. Hypertension and facial palsy in middle aortic

syndrome, 240 Lichtarowicz-Krynska EJ see Charmandari E et al

Lichtarowicz-Krynska EJ see Charmandari E et al Lim CN see Fok TF et al Lind I see Nielsen HE et al Lipitz S see Hering-Hanit R et al Livingston J see Chumas P et al Lloyd DJ see McHaffie HE et al Loh M, Osborn DA. Outcome of very premature infants with

necrotising enterocolitis cared for in centres with or without on

site surgical facilities, F114

Lopez DT. Accessing common sense for clinical decisions: leading article, 494

Losty PD see Kenny SE et al
Love A see Williams J et al
Ludvigsson J et al. Photopheresis at onset of type 1 diabetes: a
randomised, double blind, placebo controlled trial, 149
Lund AM, Leonard JV. Feeding difficulties in long-chain

3-hydroxyacyl-CoA dehydrogenase deficiency, 487 Lusky A see Weintraub Z et al Luxon LM see Bamiou D-E et al

Lynch SA see Eastham KM et al Lyon AJ see McHaffie HE et al see McHaffie HE et al

McAloon J see Freeburn AM and McAloon J McClean P see Hendriksz CJ et al McColl JH see Narendra A et al Macdonald P see Grant L and Macdonald P

MacFaul R see Armon K et al

MacFaul R, Werneke U. Recent trends in hospital use by children

in England, 203

McGraw M. The outcome of specialist registrars in the southwest region: letter, 511

McGuigan K see Conroy RM et al McHaffie HE et al. Consent to autopsy for neonates, F4 Lingering death after treatment withdrawal in the neonatal intensive

care unit, F8

McKiernan PJ see Eastham KM et al

see Lee WS et al see Lee WS et al

MacMillan H see Butler CC and MacMillan H McMurtrie K see Lakshman R et al

McPherson A et al. Double click for health: the role of multimedia

in asthma education: leading article, 447 MacQuillan K see Impey L et al MacVicar D see Pandya NA et al Maddocks A see Williams J et al Mäenpää P see Backström MC et al Magny J-F see Debillon T et al Mahonen A see Backström MC et al Mäki M see Backström MC et al Mäki R see Backström MC et al

Manktelow BN et al. Factors affecting the incidence of chronic lung disease of prematurity in 1987, 1992, and 1997, F33

Manzar S et al. Changes in plasma creatinine in first 72 hours of life:

letter, F146

Marcovitch H see Williamson A and Marcovitch H Marcovitch H see Williamson A a Martinez D see Davies P et al Marzouk O see Fellick JM et al Massarano AA see Patel L et al Massocco D see Mazzella M et al

Masson J see Harrison C et al Mathews F et al. Maternal nutrition and pregnancy outcome: letter,

Matthijs G see Hendriksz CJ et al Mayatepek E see Frenkel J et al Mazzella M et al. A randomised control study comparing the Infant Flow Driver with nasal continuous positive airway pressure in preterm infants, F86

Meegan ME see Conroy RM et al

Melegh B see Szabó AJ et al
Meller ST see Pandya NA et al
Mengher LS see Browning AC et al
Mention K et al. Neonatal severe intractable diarrhoea as the

presenting manifestation of an unclassified congenital disorder of glycosylation (CDG-x), F217

Mezzano P see Mazzella M et al Michaud L see Mention K et al Middleton B see Glasgow JFT and Middleton B

Milford DV see Eastham KM et al Miller E see Elliman DAC et al Milligan D see Tin W et al Milligan DWA see Embleton ND et al Mir NA see Gnanalingham MG et al Mitchell EA see Becroft DMO et al Modi N see Hartnoll G et a

Molendijk H. Use of the black area on the tubetip for rapid estimation of insertional depth of endotracheal tubes in neonates: a potential hazard: letter, F77

Molyneux EM see Robertson MA and Molyneux EM see Robertson MA and Molyneux EM Morgan MEI see Pal BR et al Morris AAM see Eastham KM et al Morrison A see Booy R et al Moustaki M see Trogan I et al Mughal MZ see Shetty AK et al Muhler EG see Häusler M et al Mukherjee S see Richards C et al Munyard P see Al-Wahab S and Munyard P Murphy MS see Davison SM et al Murray KJ see Sawhney S et al Musiek FE see Bamiou D-E et al

Naçar N see Yapakçi E et al Nadal D see Güngör T et al Nadel S see Booy R et al

Narendra A et al. Nephrocalcinosis in preterm babies, F207 Neal TJ see Kumar Y et al Neil A see Mathews F et al Nelder R see Lewendon G et al Nelson EAS see Sung RYT et al Nelson N see Husu S et al

Nelson N see Husu S et al
Neuvonen PJ see Saarenmaa E et al
Newell SJ see Darling JC et al
Newton T see Richards C et al
Ng PC see Fok TF et al
Nicholson AG et al. Methodology for assessing patterns of interstitial
pneumonia in children: letter, 173
Nielsen HE et al. Diagnostic assessment of haemorrhagic rash and
fever, 160
Nir M see Nielsen HE et al

Nolan T see Hacking D et al Norton K see Brennan PO and Norton K

Nunn AT see Kenny SE et al

Oddie S et al. Hypernatraemic dehydration and breast feeding: a

population study, 318 Odén A see Hedbäck G et al O'Driscoll K see Sharif F et al Offringa M see Coutinho HM et al Olgar Ş see Yapakçi E et al Olkku A see Backström MC et al Olofsson K see Nielsen HE et al O'Loughlin EV see Elliott EJ et al

Onishi S see Kondo M et al Osborn DA see Loh M and Osborn DA

Oster P see Lakshman R et al Oudesluys-Murphy AM see Boshuizen HC et al Ozaki T see Kondo M et al

Özen H see Yapakçi E et al Ozen S see Bakkaloglu A et al

Pahari A see Davies P et al
Pal BR et al. Frontal horn thin walled cysts in preterm neonates are benign, F187

Pandya NA et al. Vertebral compression fractures in acute lymphoblastic leukaemia and remodelling after treatment, 492 Papadakis CE see Bitsori M et al

Patel L see Richards C et al

Patel L et al. Symptomatic adrenal insufficiency during inhaled corticosteroid treatment, 330

Patria MF see Rusconi F et al

Patrick JH et al. Therapeutic choices in the locomotor management

of the child with cerebral palsy-more luck than judgement?: current topic, 275
Pattie A see Shenkin SD et al

Peat DS see Lewis VE et al Pennefather P see Tin W et al Perkins CS see Street K et al

Petersen SA et al. Relations between the development of patterns of sleeping heart rate and body temperature in infants, F133
Petridou E see Trogan I et al
Petros A see Burmester M et al

Pharaoh EPPOD see Shenkin SD et al Phillips EBB. Towards evidence based medicine for paediatricians,

Towards evidence based medicine for paediatricians, 431 Pierce C see Burmester M et al

Pike SE see Equi AC et al

Pillay K et al. Impact of HIV-1 infection in South Africa, 50 Pinkerton CR see Pandya NA et al Pitney AC et al. Reversal of bronchiectasis caused by chronic

aspiration in cri du chat syndrome, 413

Please A. Please A.
Plomin R see Koeppen-Schomerus G et al
Pollitzer M see Barton C and Pollitzer M
Powell H see Elliott EJ et al
Pratap U see Bhatia C et al
Pratt C see Petersen SA et al
Precce MA see Lee WS et al
Preston PR see Pal BR et al

Primhak R. Oxygen saturation and retinopathy of prematurity: letter,

Primhak RA, Tanner MS. Alpha-1 antitrypsin deficiency: leading

article, 2
Prior FH see Isbister GK et al
Pritchard A see Kendrick D et al

Quinn MW, Baker J. Staff perception of pain on a neonatal intensive care unit: letter, F77
Qunibi M see Kumar Y et al
Qureshi S see Andrews R et al

Race G see Lakshman R et al Ralph D see Bahadur G et al Ramani P see Eastham KM et al

Rangaraj J see Rangaraj S et al
Rangaraj S et al. A survey of neonatal resuscitation training provided
to general professional trainees at neonatal units in England and Wales: letter, F225

Ranzi A see Ferrari F et al Rao S see Shetty VB et al Rao WH et al. The significance of interleukin 8 in urine, 256 Rashid A. Muslim families: Donating organs and asking for post mortems: letter, 79

Raupp P et al. Henna causes life threatening haemolysis in glucose-6-phosphate dehydrogenase deficiency, 411
Ravault N see Debillon T et al

Redman C see Impey L et al Redmond D see Elliott EJ et al Reichman B see Weintraub Z et al Rennie J. Reusz GS see Szabó AJ et al

Reynolds L see Hatherill M et al

Reynolds M see Impey L et al Reynolds P et al. Newborns have unique confounding factors regarding the TfR-F ratio: letter, F146 Richards C et al. The management of fever and petechiae: collaborative studies are needed: letter, 172

Richmond S see Oddie S et al Richter H see Chavasse RJ et al Riordan FAI see Richards C et al

Riyami KA see Koul R et al

Roberton N. Two sacred cows of neonatal intensive care: letter, F75 Roberts AP see Patrick JH et al

Roberts-Harewood M, Davies SC. Pica in sickle cell disease: "She ate the headboard": letter, 510
Robertson MA, Molyneux EM. Description of cause of serious

illness and outcome in patients identified using ETAT guidelines in urban Malawi, 214
Triage in the developing world—can it be done?, 208
Robins-Browne RM see Elliott EJ et al

Robinson C see Gnanalingham MG et al Rognum TO see Arnestad M et al Rollings S see Andrews R et al Rolton HA see Narendra A et al Roorda RJ see Kamps AWA et al Rosenthal E see Andrews R et al

Ross L see Caldwell NA et al Ross L see Caldwell NA et al Rotschild A see Weintraub Z et al Roversi MF see Ferrari F et al Ruess L see Pitney AC et al Rumney C see Wolff T and Rumney C

Rusconi F et al. Total serum IgE and outcome in infants with recurrent wheezing, 23 Rush MA see Shenkin SD et al

Rushton DI see Pal BR et al Russell G see Chavasse RJ et al see Greenough A et al see Patel L et al

see Rusconi F et al Russell G. Community acquired pneumonia: leading article, 445 Rutter N see Chana SK et al

see Wells LC et al

Saarenmaa E et al. Ketamine for procedural pain relief in newborn

Salarenmaa B et al. Ketamine for procedural pain rener in r infants, F53
Sajjanhar T see Richards C et al
Salmon AP. Hypoplastic left heart syndrome—outcome and management: leading article, 450

Samuelsson U see Ludvigsson J et al Saris WHM see van Mil EGAH et al Savage GA see Sweet DG et al

Sawhney S et al. Macrophage activation syndrome: a potentially fatal complication of rheumatic disorders, 421

Sbyrakis S see Bitsori M et al Scammell A. Evolving practice: letter, 442 Schollen E see Hendriksz CJ et al Scholler I see Rangaraj S et al

Schwartz M see Kjaergaard S et al Scopesi F see Mazzella M et al Scott D see Embleton ND et al Scott JES see Leonard H et al Seddon P see Chavasse RJ et al Seger RA see Güngör T et al

Selbing A see Husu S et al

Serjeant GR et al. Sickle cell disease and age at menarche in Jamaican girls: observations from a cohort study, 375
Serra G see Mazzella M et al

Sharif F et al. Liquid paraffin: a reappraisal of its role in the treatment of constipation: current topic, 121

Sharland G see Andrews R et al Shavelle R see Strauss D et al Shaw L see Lakshman R et al Shaw N see Nicholson AG et al Shaw NJ see Alvi NS et al see Greenough A et al see Yoxall CW et al Sheikh A see Alves B and Sheikh A

Sheil O see Impey L et al **Shenkin SD** et al. Birth weight and cognitive function at age 11 years: the Scottish Mental Survey 1932, **189 Shenoy VU** see Shetty VB et al **Shetty AK** et al. Urinary calcium excretion in enterally fed disabled

children, 58

Shetty VB et al. Peripheral gangrene during infancy: a rare presentation of systemic lupus erythematosus, 335

Sideri S see Rusconi F et al Sievänen H see Backström MC et al Sills J see Fellick JM et al

Sills JA see Fellick JW et al Silva PA see Bennett KE et al Sim KG see Carpenter K et al Simpson A see Stanton J and Simpson A Simpson J see Andrews R et al

see Tillett A et al

Singhal A see Serjeant GR et al Skelton RE see Lee TWR et al Skene C see Lee TWR et al Skovby F see Kjaergaard S et al

Skull SA, Wang EEL. Varicella vaccination—a critical review of the

evidence: current topic, 83 Slavik Z see Bhatia C et al

Smith AJ see Isbister GK et al
Smith HL, Jones JG. Non-invasive assessment of shunt and
ventilation/perfusion ratio in neonates with pulmonary failure,

F127
Smith I. Nitrous oxide and vitamin B₁₂: letter, 511
Smith JC see Wells LC et al
Smyth A see McPherson A et al
see Tan K and Smyth A
Smyth R see Nicholson AG et al
So KW see Fok TF et al
Solovechick M see Weintraub Z et al
Sonowekh Et al. An introdermal skin test for deter-

Somekh E et al. An intradermal skin test for determination of immunity to varicella, 484

Space S et al. Invasive procedures carried out in conscious children: contrast between North American and European paediatric oncology centres, 12

Speight N see Harrison C et al Spencer N see Harrison C et al

Spencer SA see Jones E et al Stallard P et al. Pain in cognitively impaired, non-communicating

children, 460
Stanhope R see Albanese A et al
Stanton J, Simpson A. Murder misdiagnosed as SIDS: a

perpetrator's perspective, 454 Starr JM see Shenkin SD et al Steinert HC see Güngör T et al Steinert HC see Güngör T et al
Stenhammar L see Ludvigsson J et al
Stephenson PJBP see Fellick JM et al
Stephenson T see Armon K et al
Stephenson T. Medicines for children—the last century and the
next: current topic, 177
Stevenson J see Koeppen-Schomerus G et al
Stewart IA see Bennett KE et al
Strauss BJG see Haslam RHM et al
Strauss D et al. Life expectancy in cerebral palsy: letter, 442
Straussberg R et al. Radial osteomyelitis as a complication of venous
cannulation, 408
Street K et al. An unusual cause of injury to an infant, 499

Cannulation, 408

Street K et al. An unusual cause of injury to an infant, 499

Stroud DB see Haslam RHM et al

Subhedar NV see Wardle SP et al

see Yoxall CW et al

Sunderland R see Williams AN and Sunderland R
Sung RYT et al. Measurement of body fat using leg to leg
bioimpedance, 263

Suveges Z see Szabó AJ et al **Sweet DG** et al. Cord blood transferrin receptors to assess fetal iron status, F46

Szabó A see Szabó AJ et al

Szabó AJ et al. Hyperhomocysteinaemia and MTHFR C677T gene polymorphism in renal transplant recipients, 47 Szabó T see Szabó AJ et al

Tal G see Somekh E et al

Tan K, Smyth A. Commentaries-read with caution!: letter, 268

Tanay A see Somekh E et al Tanner MS see Primhak RA and Tanner MS

Tarnow-Mordi W. Dexamethasone, survival, and neurological

impairment: letter, 269
Team AS see Warrington SA et al
Thimm A see Richards C et al

Thompson JMD see Becroft DMO et al Thomson A see Thorburn K et al Thomson AP see Richards C et al

Thomson APJ see Fellick JM et al see Fellick JM et al Thorburn K et al. Mortality in severe meningococcal disease, 382 Tillett A et al. Paradoxical embolism causing fatal myocardial

Tillett A et al. Paradoxical embolism causing fatal myoca infarction in a newborn infant, F137

Tin W et al. Oxygen saturation and retinopathy of prematurity—Authors' response: letter, F75

Tinaztepe K see Bakkaloglu A et al

Tiron I see Watkinson M and Tiron I

Tizard EJ see Lewis VE et al

Toscano E et al. Cholelithiasis in Down's syndrome, 242

Trivellini V see Toscano E et al

Trogan I et al. How common is abuse in Greece? Studying cases with

Trogan I et al. How common is ab femoral fractures, 289 Tubman R see Sweet DG et al Tulassay T see Szabó AJ et al Tulloh R see Andrews R et al Turck D see Mention K et al Turnbull F see Greenough A et al Turner J see Greenough A et al Turnock RR see Kenny SE et al

Tyagi A see Chumas P et al

Unsworth DJ. Reply: letter, 513 Uysal Ö see Yapakçi E et al

Vagnarelli F see Ferrari F et al

van der Lem GJ see Boshuizen HC et al van der Lem GJ see Boshuizen HC et al van Mil EGAH et al. Energy metabolism in relation to body

van Mil EUAH et al. Energy interactionshi in telcomposition and gender in adolescents, 73
Vannay A see Szabó AJ et al
van Zanten GA see Boshuizen HC et al
Vargas-Nieto MA see Vargas-Origel A et al

Vargas-Origel A et al. The accuracy of references in paediatric

journals, 497 Varughese M see Raupp P et al Vege A see Arnestad M et al Velleman R see Stallard P et al Verkerk PH see Boshuizen HC et al

Vermeer K see Kamps AWA et al birth weight, F165 Victorian Infant Collaborative Study Group see Dinesen SJ, Greisen G and Victorian Infant Collaborative Study Group Vik T see Angelsen NK et al

Wacogne ID. Fearful children: leading article, 495 Waggie Z see Hatherill M et al Wailoo MP see Petersen SA et al

Wailoo MP see Petersen SA et al
Waisman D see Weintraub Z et al
Wales JK see Patel L et al
Walker D see Lakshman R et al
Walker-Smith J. York, Alcuin, and Sir George Newman, 440
Wallace AM see Galloway PJ et al
Wang EEL see Skull SA and Wang EEL
Wardle SP et al. Percutaneous femoral arterial and venous
set between the property of th

catheterisation during neonatal intensive care, F119

Warrington SA et al. Accidents and resulting injuries in premobile infants: data from the ALSPAC study, 104

Watkins A see Hacking D et al
Watkinson M see Boyle EM et al
Watkinson M, Tiron I. Events before the diagnosis of a
pneumothorax in ventilated neonates, F201

Weemaes CMR see Frenkel J et al Weindling AM see Yoxall CW et al Weintraub Z et al. Effect of maternal tocolysis on the incidence of severe periventricular/intraventricular haemorrhage in very low birthweight infants, F13

birthweight infants, F13
Wells JCK. A critique of the expression of paediatric body composition data: review, 67
Wells LC et al. The child with a non-blanching rash: how likely is meningococcal disease?, 218
Werneke U see Armon K et al
see MacFaul R and Werneke U
Westerterp KR see van Mil EGAH et al
Weston VC see Wells LC et al
Whalley LJ see Shenkin SD et al
White MP see Narendra A et al
Whyte IM see Isbister GK et al

Whyte IM see Isbister GK et al see Isbister GK et al Wiberg J see Grunnet-Nilsson N and Wiberg J

Wilcken B see Carpenter K et al
Wilcken B see Carpenter K et al
Wilcy V see Carpenter K et al
Wilkinson AR see Arlettaz R et al
Wilkinson G see Narendra A et al
Willemsen MAAP see Frenkel J et al
Williams AN. A message for the future in a plea from the past, 503
Williams AN, Sunderland R. Thomas Willis: the first paediatric
neurologist?, 506

wimams AN, Sunderland R. Thomas Willis: the first paediatric neurologist?, 506
Williams J et al. Case-control study of the health of those looked after by local authorities, 280
Williams L see Stallard P et al

Williams R see Pillay K et a

Williamson A, Marcovitch H. Getting ADC to paediatricians in

developing countries : leading article, 1 Winchester BG see Hendriksz CJ et al

Winter DL see Edge JA et al Wolfe R see Hacking D et al

Wolff T, Rumney C. Adrenaline syringes: community perspective:

letter, 512

Wolke D et al. Bullying involvement in primary school and common health problems, 197

Wong HL see Fok TF et al Woo P see Sawhney S et al Wood E see Bothwell J et al Woods A see Greenough A et al Woods S see Wolke D et al Worthington VC see Hendriksz CJ et al

Wren C see Leonard H et al Wright C see Embleton ND et al Wright CM see Warrington SA et al Wyllie J see Eastham KM et al Wynne J see Harrison C et al

Yapakçi E et al. Hypoglycaemia and hypothermia due to nimesulide overdose: letter, 510

Yoxall CW see Aubrey WR and Yoxall CW see Kumar Y et al see Wardle SP et al

Yoxall CW et al. Dependency level of babies on the neonatal unit: a comparison of two different classification systems, F173

Yu CW see Sung RYT et al Yudkin P see Mathews F et al Yurdakök M. Pediatric ethics in the Holy Quran: letter, 79 Yýldýrým S see Arda IS et al

Zullino E see Mazzella M et al **Zupan V** see Debillon T et al

VOLUME 85 • SUBJECT INDEX

a-1 Antitrypsin deficiency Alpha-1 antitrypsin deficiency; review, 2

99mTc-HMPAO, 99mTc-HMPAO leucocyte scintigraphy fails to detect Crohn's disease in the proximal gastrointestinal tract, 43

abdominal surgery, Octreotide therapy: a new horizon in treatment

of iatrogenic chyloperitoneum, 234

abuse, Who is failing abused and neglected children?: controversy, 300

academic achievement, Behaviour and developmental effects of oti-

tis media with effusion into the teens, 91 accident, Accidents and resulting injuries in premobile infants: data from the ALSPAC study, 104

accuracy, The accuracy of references in paediatric journals, 497 acute asthma, Commentaries—read with caution!: letter, 268 acute lymphoblastic leukaemia, Vertebral compression fractures in acute lymphoblastic leukaemia and remodelling after treatment,

acute nimesulide poisoning, Hypoglycaemia and hypothermia due

to nimesulide overdose: letter, 510

acylcarnitines, Evaluation of newborn screening for medium chain acyl-CoA dehydrogenase deficiency in 275 000 babies, F105

acylglycines, Evaluation of newborn screening for medium chain acyl-CoA dehydrogenase deficiency in 275 000 babies, F105 adenovirus, Diagnostic assessment of haemorrhagic rash and fever,

ADHD, Neurological soft signs in mainstream pupils, 371

admissions, Recent trends in hospital use by children in England, 203 adrenal agenesis, A rare cause of respiratory distress: letter, F225 adrenal insufficiency, Symptomatic adrenal insufficiency during inhaled corticosteroid treatment, 330

adrenaline, Adrenaline syringes: community perspective: letter, 512 Appropriate prescription of epinephrine remains the best available treatment: letter, 513
Controversies in paediatrics?: letter, 512

advanced neonatal nurse practitioner, Routine neonatal examina-tion: effectiveness of trainee paediatrician compared with advanced neonatal nurse practitioner, F100

adverse reaction, Safety of a new conjugate meningococcal C vaccine in infants, 391

advocacy, Advocating for children's health: a US and UK perspective, 180

A&E, Randomised controlled trial assessing the impact of increasing information to health visitors about children's injuries, 366

airway obstruction, Life threatening airway obstruction in a newborn following ingestion of sterilising tablet: letter, 443 alcohol, Alcopops are not responsible for acute paediatric attendances

with alcohol intoxication: letter, 268

alcopops, Alcopops are not responsible for acute paediatric attendances with alcohol intoxication: letter, 268

Alcuin, York, Alcuin, and Sir George Newman, 440 allergy, Appropriate prescription of epinephrine remains the best

available treatment: letter, 513 Controversies in paediatrics?: letter, 512

alpha adrenergic agonist, Management of sickle cell priapism with etilefrine, 52

anal fissure, Double blind randomised controlled trial of topical glyceryl trinitrate in anal fissure, 404

analgesia, Can we use methadone for analgesia in neonates?: leader, F79

Staff perception of pain on a neonatal intensive care unit: letter, F77 anaphylactic shock, Adrenaline syringes: community perspective: letter, 512

Appropriate prescription of epinephrine remains the best available treatment: letter, 513

Controversies in paediatrics?: letter, 512

anaphylaxis, Age specific aetiology of anaphylaxis: letter, 349 ANCA, The significance of antineutrophil cytoplasmic antibody in microscopic polyangitis and classic polyarteritis nodosa, 427 animal models, Maternal nutrition and pregnancy outcome: letter,

antenatal, Prenatal bowel dilatation: congenital chloride diarrhoea, F65

Respiratory distress syndrome and antenatal corticosteroid treatment in premature twins: letter, F77 antenatal corticosteroids, Time of closure of ductus venosus in

term and preterm neonates, F57 antenatal diagnosis, Outcome of staged reconstructive surgery for hypoplastic left heart syndrome following antenatal diagnosis, 474

message for the future in a plea from the past, 503

arthritis, Macrophage activation syndrome: a potentially fatal complication of rheumatic disorders, 421 arthrogryposis, ARC syndrome: an expanding range of phenotypes,

Asian children, Diabetic ketoacidosis in Asian children, 60

aspirin, Reye syndrome-insights on causation and prognosis: leading article, 351

assessment, Development and initial validation of the EDIN scale, a new tool for assessing prolonged pain in preterm infants, F36

asthma, Double click for health: the role of multimedia in asthma education: *leader*, 447
Effect of bacterial filters on spirometry measurements, 346

Genes and environment in asthma: a study of 4 year old twins, 398 Persistent wheezing in infants with an atopic tendency responds to inhaled fluticasone, 143

Symptomatic adrenal insufficiency during inhaled corticosteroid treatment, 330

ataxia, Cerebral palsy: not always what it seems: current topic, 356 atrioventricular, Functional atrioventricular block in a preterm infant, F220

atrium, Placement of neonatal central venous catheter tips in the right

atrium: a practice to be avoided?: letter, F146
attention deficit disorder, Aetiology and clinical presentations of auditory processing disorders—a review: current topic, 361 auditory processing, Aetiology and clinical presentations of auditory

processing disorders—a review: current topic, 361 automated auditory brainstem response, Costs of different

strategies for neonatal hearing screening: a modelling approach, F177

autonomic system, Characterisation of breathing and associated central autonomic dysfunction in the Rett disorder, 29 autopsy, Consent to autopsy for neonates, F4

B₁₂, Nitrous oxide and vitamin B₁₂: letter, 511
 bacteria, Ophthalmic Pseudomonas infection in infancy, F139
 bacterial filters, Effect of bacterial filters on spirometry measurements, 346
 bacterial sepsis, The management of fever and petechiae: collaborative studies are needed: letter, 172
 The management of fever and petechiae: collaborative studies are needed: letter, 172

needed: letter, 172

Barker hypothesis, Birth weight and cognitive function at age 11 years: the Scottish Mental Survey 1932, 189 behaviour, Educational and behavioural problems in babies of 32-35

weeks gestation, F23 behaviour problems, Behaviour and developmental effects of otitis

media with effusion into the teens, 91 Should children with developmental and behavioural problems be routinely screened for lead?, 286

behavioural disorders, Pica in sickle cell disease: "She ate the headboard": letter, 510
 Bell's palsy, Facial nerve palsy associated with Rickettsia conorii infection, 54

bereaved parents, Lingering death after treatment withdrawal in the neonatal intensive care unit, F8

bile, Bile bilirubin pigment analysis in disorders of bilirubin metabo-

lism in early infancy, 38 bilirubin pigment analysis, Bile bilirubin pigment analysis in disorders of bilirubin metabolism in early infancy, 38

bioimpedance, Measurement of body fat using leg to leg bioimpedance, 263 biopsy, Fine needle aspiration biopsy of thyroid nodules, 313

birth weight, Birth weight and cognitive function at age 11 years: the Scottish Mental Survey 1932, 189

Life expectancy in cerebral palsy: letter, 442

Time of closure of ductus venosus in term and preterm neonates,

blind, Visual outcome of malignant hypertension in young people, 401 blood clot, Treatment of neonatal thrombus formation with recombinant tissue plasminogen activator: six years experience and review of the literature, F18

blood cultures, Time to positivity of neonatal blood cultures, F182 blood flow velocity, Prediction of early tolerance to enteral feeding in preterm infants by measurement of superior mesenteric artery blood flow velocity, F42

body composition, Correlates of prepubertal bone mineral density in cystic fibrosis, 166

body fat, A critique of the expression of paediatric body composition data: review, 67

Measurement of body fat using leg to leg bioimpedance, 263 body mass index, Growth study of cri du chat syndrome, 337

Measurement of body fat using leg to leg bioimpedance, 263 body size, A critique of the expression of paediatric body composition data: review, 67

body temperature, Relations between the development of patterns of

sleeping heart rate and body temperature in infants, F133 body weight, Sickle cell disease and age at menarche in Jamaican girls: observations from a cohort study, 375

bone marrow transplantation, Neonatal bone marrow transplanta-tion for severe combined immunodeficiency, F110

bone mineral density, Correlates of prepubertal bone mineral density in cystic fibrosis, 166

bone mineral status, Genetic determinants of bone mineral content in premature infants, F214

dilatation, Prenatal bowel dilatation: congenital chloride diarrhoea, F65

brain, Asymmetry of fetal cerebral hemispheres: in utero ultrasound study, F194

Frontal horn thin walled cysts in preterm neonates are benign, F187 Hydrocephalus—what's new?: leading article, F149 brain stem, Characterisation of breathing and associated central autonomic dysfunction in the Rett disorder, 29

breast feeding, Breast feeding and cognitive development at age 1 and 5 years, 183 Hypernatraemia: why bother weighing breast fed babies?: letter, F145

Hypernatraemic dehydration and breast feeding: a population study,

breast milk, Sir Hans Sloane (1660–1753) and the value of breast milk: *perinatal lesson*, **F73 bullying**, Bullying involvement in primary school and common health

problems, 197 burn, Accidents and resulting injuries in premobile infants: data from the ALSPAC study, 104

calcium, Nephrocalcinosis in preterm babies, F207 Calman, The outcome of specialist registrars in the southwest region: letter, 511

candidiasis, Disseminated candidiasis after steroid treatment for early neonatal hypotension: letter, F226
carbohydrate deficient glycoprotein syndrome, Successful treatment of carbohydrate deficient glycoprotein syndrome type 1b with oral mannose, 339

cardiac murmur, Closure of the ductus arteriosus and development of pulmonary branch stenosis in babies of less than 32 weeks gestation, F197

carditis, Rheumatic fever in a high incidence population: the importance of monoarthritis and low grade fever, 223

Rheumatic fever in a high incidence population: the importance of

monoarthritis and low grade fever, 321

catheter placement, Placement of neonatal central venous catheter tips in the right atrium: a practice to be avoided?: letter, F146

catheterisation, Long term complications of inferior vena cava thrombosis, 228

central venous, Long term complications of inferior vena cava thrombosis, 228

central venous access, Percutaneous femoral arterial and venous

catheterisation during neonatal intensive care, F119
cerebral asymmetry, Asymmetry of fetal cerebral hemispheres: in utero ultrasound study, F194
cerebral oedema, The risk and outcome of cerebral oedema developing during diabetic ketoacidosis, 16

cerebral palsy, Cerebral palsy: not always what it seems: current topic,

Dexamethasone, survival, and neurological impairment: letter, 269

Life expectancy in cerebral palsy: letter, 442 Outcome at 14 years of extremely low birthweight infants: a regional

study, F159 Oxygen saturation and retinopathy of prematurity: letter, F75

Therapeutic choices in the locomotor management of the child with cerebral palsy—more luck than judgement?: current topic, 275
Two sacred cows of neonatal intensive care: letter, F75

cerebral salt wasting, Management of hyponatraemia in patients with acute cerebral insults, 246
cerebrospinal fluid, Hydrocephalus—what's new?: leading article,

change in practice, Commentaries—read with caution!: letter, 268 chest wall, Infantile chest hamartoma—case outcome aged 11, 244

chickenpox, Varicella vaccination—a critical review of the evidence: current topic, 83 child abuse, How common is abuse in Greece? Studying cases with

femoral fractures, 289

Oliver Twist, textbook of child abuse: current topic, 504
Who is failing abused and neglected children?, 300
child development, Does early detection of otitis media with effusion prevent delayed language development?, 96
child murder, Murder misdiagnosed as SIDS: a perpetrator's perspective, 454

childhood asthma, Total serum IgE and outcome in infants with recurrent wheezing, 23 childhood blindness, The many challenges of childhood blindness:

editorial, 452

childhood cirrhosis, Alpha-1 antitrypsin deficiency: *review*, 2 **children**, Correlates of prepubertal bone mineral density in cystic fibrosis, 166
Impact of HIV-1 infection in South Africa, 50
Children Act, Who is failing abused and neglected children?: contro-

versy, 300 chiropractic treatment, Diluted treatment effects?: letter, 268

Infantile colic and chiropractic spinal manipulation: letter, 268 cholelithiasis, Cholelithiasis in Down's syndrome, 242 cholera, Solar disinfection of drinking water protects against cholera in children under 6 years of age, 293

cholestasis, ARC syndrome: an expanding range of phenotypes, 415

chronic lung disease, Dexamethasone, survival, and neurological impairment: *letter*, 269

Factors affecting the incidence of chronic lung disease of prematurity in 1987, 1992, and 1997, F33

Health care utilisation of infants with chronic lung disease, related to

hospitalisation for RSV infection, 463

chyloperitoneum, Octreotide therapy: a new horizon in treatment of iatrogenic chyloperitoneum, 234

classic polyarteritis, The significance of antineutrophil cytoplasmic antibody in microscopic polyangitis and classic polyarteritis nodosa, 427

clinic, Use of cough swabs in a cystic fibrosis clinic, 438

clubfoot, A message for the future in a plea from the past, 503 cognitive and motor disabilities, Life expectancy in cerebral palsy:

cognitive impairment, Pain in cognitively impaired, noncommunicating children, 460

cohort study, Life expectancy in cerebral palsy: letter, 442

collagen, Genetic determinants of bone mineral content in premature infants, F214

coma, Non-traumatic coma in children, 303

community acquired, Community acquired pneumonia: leader, 445 compression fractures, Vertebral compression fractures in acute lymphoblastic leukaemia and remodelling after treatment, 492

computed tomography, Diagnostic and therapeutic impact of whole body positron emission tomography using fluorine-18-fluoro-2-deoxy-d-glucose in children with chronic granulomatous disease, 341

computer, Hospital acquired computervirus infections, 496

congenital, Prenatal bowel dilatation: congenital chloride diarrhoea, F65

congenital adrenal hyperplasia; Congenital adrenal hyperplasia: management during critical illness, 26
 congenital anomalies, The influence of congenital heart disease on survival of infants with oesophageal atresia, F204

congenital disorder of glycosylation type Ia, Congenital disorder of glycosylation type Ia (CDG-Ia): phenotypic spectrum of the R141H/F119L genotype, 236

consent, Consent to autopsy for neonates, F4

Fertility preservation in children-scientific advances, research dilemmas, and ethics of consent: letter, 443

constipation, Liquid paraffin: a reappraisal of its role in the treatment of constipation, 121

continuing care, Continuing care—a continuing dilemma: leading article, 354

continuous positive airway pressure, A randomised control study comparing the Infant Flow Driver with nasal continuous positive airway pressure in preterm infants, F86

A randomised controlled trial of two methods of delivering nasal continuous positive airway pressure after extubation to infants weighing less than 1000 g: binasal (Hudson) versus single nasal prongs, F82

coronary artery, Paradoxical embolism causing fatal myocardial infarction in a newborn infant, F137

corticosteroid, Persistent wheezing in infants with an atopic tendency responds to inhaled fluticasone, 143

corticosteroids, Respiratory distress syndrome and antenatal corticosteroid treatment in premature twins: letter, F77

cortisol clearance, Congenital adrenal hyperplasia: management during critical illness, 26

costs, Costs of different strategies for neonatal hearing screening: a modelling approach, F177
 cough swabs, Use of cough swabs in a cystic fibrosis clinic, 438

cranial, Frontal horn thin walled cysts in preterm neonates are benign, F187

cri du chat, Growth study of cri du chat syndrome, 337

Reversal of bronchiectasis caused by chronic aspiration in cri du chat syndrome, 413

Crigler-Najjar syndrome, Bile bilirubin pigment analysis in disorders of bilirubin metabolism in early infancy, 38 critical care, Mortality in severe meningococcal disease, 382

critical illness, Congenital adrenal hyperplasia: management during critical illness, 26

Crohn's disease, Inflammatory bowel disease, 435

Tc-HMPAO leucocyte scintigraphy fails to detect Crohn's disease in the proximal gastrointestinal tract, 43

croup, Severe upper airway obstruction caused by ulcerative laryngitis, **326** customs, Pediatric ethics in the Holy Quran: letter, 79

cysteinyl leukotrienes, Increased urinary leukotriene E4 during

febrile attacks in the hyperimmunoglobulinaemia D and periodic fever syndrome, 158 cystic fibrosis, Correlates of prepubertal bone mineral density in cystic fibrosis, 166

Effect of bacterial filters on spirometry measurements, 346

Recent advances in cystic fibrosis, 62 Use of cough swabs in a cystic fibrosis clinic, 438

decision making, Accessing common sense for clinical decisions: leader, 494

dehydration, Hypernatraemic dehydration and breast feeding: a opulation study, 318

Delphi consensus, An evidence and consensus based guideline for acute diarrhoea management, 132

dependency, Dependency level of babies on the neonatal unit: a comparison of two different classification systems, F173 dermal absorption, Acute nicotine poisoning associated with a

raditional remedy for eczema, 500 developing world, Description of cause of serious illness and outcome in patients identified using ETAT guidelines in urban

Malawi, 214 Triage in the developing world—can it be done?, 208

developmental coordination disorder, Neurological soft signs in ainstream pupils, 371

developmental problems, Should children with developmental and behavioural problems be routinely screened for lead?, 286 dexamethasone,

amethasone, Dexamethasone, survival, and impairment: letter, 269 diabetes: a randomised,

diabetes, Photopheresis at onset of type 1 de double blind, placebo controlled trial, 149 diabetes insipidus, Management of hyponatraemia in patients with acute cerebral insults, 246

diabetic ketoacidosis, Diabetic ketoacidosis in Asian children, 60 The risk and outcome of cerebral oedema developing during diabetic ketoacidosis, 16

diagnostic tests, The significance of interleukin 8 in urine, 256 diarrhoea, An evidence and consensus based guideline for acute diarrhoea management, 132

Neonatal severe intractable diarrhoea as the present manifestation of an unclassified congenital disorder glycosylation (CDG-x), F217

enatal bowel dilatation: congenital chloride diarrhoea, F65

diplegia, Cerebral palsy: not always what it seems: current topic, 356 dipstick urinalysis, Dipstick measurements of urine specific gravity e unreliable, 155

disability, A message for the future in a plea from the past, 503 Outcome at 14 years of extremely low birthweight infants: a regional study, F159

Doppler ultrasound, Prediction of early tolerance to enteral feeding in preterm infants by measurement of superior mesenteric artery blood flow velocity, F42

doubly labelled water, Energy metabolism in relation to body composition and gender in adolescents, 73 Down's syndrome, Cholelithiasis in Down's syndrome, 242

drug, Medicines for children—the last century and the next: current topic, 177

drug misuse, Drug misusing parents: key points for health

professionals, 296 ductus venosus closure, Time of closure of ductus venosus in term and preterm neonates, F57

dysautonomia, Characterisation of breathing and associated central

autonomic dysfunction in the Rett disorder, 29 dyslexia, Aetiology and clinical presentations of auditory processing disorders—a review: current topic, 361

dysphasia, Aetiology and clinical presentations of auditory processing disorders—a review: current topic, 361 dystonia, Cerebral palsy: not always what it seems: current topic, 356

E coli, Nationwide study of haemolytic uraemic syndrome: clinical, microbiological, and epidemiological features, 125 echocardiography, Early intracardiac thrombosis in preterm infants

and thrombolysis with recombinant tissue type plasminogen activator, F66

education, A national review of neonatal resuscitation programmes for midwives: letter, F145

Double click for health: the role of multimedia in asthma education:

leader, 447

Educational and behavioural problems in babies of 32-35 weeks gestation, F23

York, Alcuin, and Sir George Newman, 440

emergency care, Description of cause of serious illness and outcome in patients identified using ETAT guidelines in urban Malawi, 214 Triage in the developing world—can it be done?, 208

emotional and behavioural health, Case-control study of the health of those looked after by local authorities, 280 emphysema, Alpha-1 antitrypsin deficiency: review, 2

encephalopathy, The relation between pre-eclampsia at term and neonatal encephalopathy, F170

end of life decisions, Parents and end of life decisions in neonatal practice: leading article, F1
endophthalmitis, Ophthalmic Pseudomonas infection in infancy,

endotracheal tube, Foot length, an accurate predictor of nasotracheal tube length in neonates, F60

Use of the black area on the tubetip for rapid estimation of

insertional depth of endotracheal tubes in neonates: a potential

energy metabolism, Energy metabolism in relation to body composition and gender in adolescents, 73

enteral feeding, Urinary calcium excretion in enterally fed disabled

enteral feeds, Prediction of early tolerance to enteral feeding in preterm infants by measurement of superior mesenteric artery blood flow velocity, $\mathbf{\tilde{F}42}$

enteropathy, Successful treatment of carbohydrate deficient glycoprotein syndrome type 1b with oral mannose, 339

enterovirus, Diagnostic assessment of haemorrhagic rash and fever, 160

epilepsy, Port-A-Cath use in refractory seizure disorders: letter, 510 Vigabatrin associated retinal dysfunction in children with epilepsy, 469

erythropoiesis, Cord blood transferrin receptors to assess fetal iron status, F46

ethics, Fertility preservation in children-scientific advances, research dilemmas, and ethics of consent: letter, 443
Pediatric ethics in the Holy Quran: letter, 79
evidence based guideline, Commentaries—read with caution!: letter,

268

evidence based medicine, Varicella vaccination-a critical review of the evidence: current topic, 83

examination, Routine neonatal examination: effectiveness of trainee neonatal nurse compared with advanced paediatrician practitioner, F100

extremely low birth weight infant, A randomised controlled trial of two methods of delivering nasal continuous positive airway pressure after extubation to infants weighing less than 1000 g: binasal (Hudson) versus single nasal prongs, F82 extubation, A randomised controlled trial of two methods of deliver-

ing nasal continuous positive airway pressure after extubation to infants weighing less than 1000 g: binasal (Hudson) versus single nasal prongs, F82

eye, Ophthalmic Pseudomonas infection in infancy, F139

facial nerve palsy, Facial nerve palsy associated with Rickettsia conorii infection, 54

facial palsy, Hypertension and facial palsy in middle aortic syndrome,

fall, Accidents and resulting injuries in premobile infants: data from the ALSPAC study, 104

Fanconi syndrome, ARC syndrome: an expanding range of phenotypes, 415 fat-free mass, A critique of the expression of paediatric body compo-

sition data: review, 67
fatty acid oxidation, Evaluation of newborn screening for medium chain acyl-CoA dehydrogenase deficiency in 275 000 babies, F105

feeding, Feeding difficulties in long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency, 487

femoral arterial catheter, Percutaneous femoral arterial and venous catheterisation during neonatal intensive care, F119 femoral fractures, How common is abuse in Greece? Studying cases

with femoral fractures, 289 femoral venous catheter, Percutaneous femoral arterial and venous

catheterisation during neonatal intensive care, F119 ferritin, Serum ferritin level in neonatal fulminant liver failure: letter,

F226 fertility, Fertility preservation in children-scientific advances,

research dilemmas, and ethics of consent: letter, 443 fever, The management of fever and petechiae: collaborative studies are needed: letter, 172

fine needle aspiration, Fine needle aspiration biopsy of thyroid nodules, 313

fluticasone, Persistent wheezing in infants with an atopic tendency responds to inhaled fluticasone, 143
folate, Hyperhomocysteinaemia and MTHFR C677T gene polymor-

phism in renal transplant recipients, 47

follow up, De novo malignancy after paediatric renal replacement therapy, 478

Quality of life in young adults with very low birth weight, **F165**

follow up study, Educational and behavioural problems in babies of 32-35 weeks gestation, F23

foot length, Foot length, an accurate predictor of nasotracheal tube length in neonates, F60 frontal horn cysts, Frontal horn thin walled cysts in preterm

neonates are benign, F187

gait analysis, Therapeutic choices in the locomotor management of the child with cerebral palsy-more luck than judgement?: current topic, 275

gallstones, Cholelithiasis in Down's syndrome, 242

gastroenteritis, An evidence and consensus based guideline for acute diarrhoea management, 132 gastro-oesophageal reflux, Can pH monitoring reliably detect

gastro-oesophageal reflux in preterm infants?, F155 Reversal of bronchiectasis caused by chronic aspiration in cri du chat syndrome, 413

genetics, Genes and environment in asthma: a study of 4 year old twins, 398

gentamicin toxicity, Medicines for children and gentamicin toxicity:

geographical variation, The epidemiology of infantile hypertrophic

pyloric stenosis in Sweden 1987–96, 379
George Newman., York, Alcuin, and Sir George Newman, 440
gestational age, Time of closure of ductus venosus in term and preterm neonates, F57

gestational diabetes mellitus, Postnatal changes in concentrations of free and bound leptin, F123

Gilbert's syndrome, Bile bilirubin pigment analysis in disorders of bilirubin metabolism in early infancy, 38 glucose metabolism, Postnatal changes in concentrations of free and

bound leptin, F123 glucose-6-phosphate dehydrogenase deficiency, Henna causes life threatening haemolysis in glucose-6-phosphate dehydrogenase deficiency, 411

glyceryl trinitrate, Double blind randomised controlled trial of topi-cal glyceryl trinitrate in anal fissure, 404

granuloma, Diagnostic and therapeutic impact of whole body positron emission tomography using fluorine-18-fluoro-2-deoxy-d-glucose in children with chronic granulomatous disease, 341

granulomatous disease, Diagnostic and therapeutic impact of whole body positron emission tomography using fluorine-18-fluoro-2-deoxy-d-glucose in children with chronic granulomatous disease, 341

growth, Sickle cell disease and age at menarche in Jamaican girls: observations from a cohort study, 375

guideline, An evidence and consensus based guideline for acute diarrhoea management, 132

haemochromatosis, Serum ferritin level in neonatal fulminant liver failure: letter, F226

haemodynamic compromise, A rare cause of respiratory distress: letter, F225

haemoglobin disorders, Haemoglobinopathy as a cause of nucleated red cells in the fetus and neonate: letter, F147

haemolysis, Henna causes life threatening haemolysis in glucose-6-phosphate dehydrogenase deficiency, 411
haemolytic uraemic sydrome, Nationwide study of haemolytic uraemic syndrome: clinical, microbiological, and epidemiological forume 115

features, 125

haemorrhagic disease of the newborn, Alpha-1 antitrypsin deficiency: review, 2
hamartoma, Infantile chest hamartoma—case outcome aged 11, 244

hazard, Use of the black area on the tubetip for rapid estimation of insertional depth of endotracheal tubes in neonates: a potential hazard: letter, F77

health, Advocating for children's health: a US and UK perspective, 180

health care services, Impact of HIV-1 infection in South Africa, 50 health problem, Bullying involvement in primary school and common health problems, 197

health professionals, Drug misusing parents: key points for health professionals, 296

health promotion, Case-control study of the health of those looked

after by local authorities, 280 health visitor, Randomised controlled trial assessing the impact of increasing information to health visitors about children's injuries, 366

hearing, Costs of different strategies for neonatal hearing screening: a modelling approach, F177

heart block, Functional atrioventricular block in a preterm infant, F220

heart disease, The influence of congenital heart disease on survival of infants with oesophageal atresia, F204
heart rate, Relations between the development of patterns of sleeping

heart rate, Relations between the development of patterns of sleeping heart rate and body temperature in infants, F133 henna, Henna causes life threatening haemolysis in glucose-6-phosphate dehydrogenase deficiency, 411 hepatic fibrosis, Successful treatment of carbohydrate deficient glycoprotein syndrome type 1b with oral mannose, 339 hepatic insufficiency, Neonatal severe intractable diarrhoea as the presenting manifestation of an unclassified congenital disorder of glyseyletin (CDCs.), F217.

glycosylation (CDG-x), F217 herpes simplex, Severe upper airway obstruction caused by ulcerative

laryngitis, 326 history, Jacob Rueff (1500-1558) of Zurich and The expert midwife: perinatal lesson, F222

Julius Hess, MD, (1876-1955) and the premature infant: perinatal lesson, F141

history of medicine, York, Alcuin, and Sir George Newman, 440 HIV infection, Impact of HIV-1 infection in South Africa, 50

Holy Quran, Pediatric ethics in the Holy Quran: letter, 79 homocysteine, Hyperhomocysteinaemia and MTHFR C677T gene polymorphism in renal transplant recipients, 47

hospital statistics, Recent trends in hospital use by children in England, 203

hospital use, Recent trends in hospital use by children in England,

humour, Hospital acquired computervirus infections, 496 hydrocephalus, Hydrocephalus--what's new?: leading article, F149 hydrocortisone, Congenital adrenal hyperplasia: management during

critical illness, 26

hypercalciuria, Urinary calcium excretion in enterally fed disabled children, 58

hyperinsulinism, Successful treatment of carbohydrate deficient glycoprotein syndrome type 1b with oral mannose, 339 hypernatraemia, Hypernatraemia: why bother weighing breast fed

babies?: letter, F145

Hypernatraemic dehydration and breast feeding: a population study,

hypertension, Hypertension and facial palsy in middle aortic syndrome, 240

hypocalcaemia, Functional atrioventricular block in a preterm infant, F220

hypoglycaemia, Hypoglycaemia and hypothermia due to nimesulide overdose: letter, 510

Successful treatment of carbohydrate deficient glycoprotein syndrome type 1b with oral mannose, 339

Symptomatic adrenal insufficiency during inhaled corticosteroid treatment, 330

hyponatraemia, Management of hyponatraemia in patients with acute cerebral insults, 246

hypoplastic left heart syndrome, Hypoplastic left heart syndrome—outcome and management: leader, 450
Outcome of staged reconstructive surgery for hypoplastic left heart

syndrome following antenatal diagnosis, 474

hypotension, Disseminated candidiasis after steroid treatment for early neonatal hypotension: letter, F226 hypothermia, Hypoglycaemia and hypothermia due to nimesulide

overdose: letter, 510

IgE, Total serum IgE and outcome in infants with recurrent wheezing, 23

immunisation, MMR vaccine—worries are not justified: leader, 271 Safety of a new conjugate meningococcal C vaccine in infants, 391 Varicella vaccination—a critical review of the evidence: current topic, 83

immunity, An intradermal skin test for determination of immunity to varicella, 484

immunodeficiency, Diagnostic and therapeutic impact of whole body positron emission tomography using fluorine-18-fluoro-2-deoxy-d-glucose in children with chronic granulomatous disease,

immunoglobulin D, Increased urinary leukotriene E, during febrile attacks in the hyperimmunoglobulinaemia D and periodic fever syndrome, 158

impact, Impact of HIV-1 infection in South Africa, 50 impairment, Outcome at 14 years of extremely low birthweight infants: a regional study, F159

utero, Asymmetry of fetal cerebral hemispheres: in utero ultrasound study, F194

in utero transplantation, Neonatal bone marrow transplantation for

severe combined immunodeficiency, F110
incidence, Factors affecting the incidence of chronic lung disease of prematurity in 1987, 1992, and 1997, F33

The epidemiology of infantile hypertrophic pyloric stenosis in Sweden 1987-96, 379

Infant Flow Driver, A randomised control study comparing the Infant Flow Driver with nasal continuous positive airway pressure in preterm infants, F86

infanticide, Murder misdiagnosed as SIDS: a perpetrator's perspective, 454

Nasal and intrapulmonary haemorrhage in sudden infant death syndrome, 116 infantile colic, Diluted treatment effects?: letter, 268

Infantile colic and chiropractic spinal manipulation: letter, 268 infection, Diagnostic and therapeutic impact of whole body positron emission tomography using fluorine-18-fluoro-2-deoxy-d-glucose in children with chronic granulomatous disease, 341 Macrophage activation syndrome: a potentially fatal complication of

rheumatic disorders, 421 Ophthalmic *Pseudomonas* infection in infancy, **F139**

Time to positivity of neonatal blood cultures, F182

inhaled, Persistent wheezing in infants with an atopic tendency responds to inhaled fluticasone, 143 inhaled corticosteroid, Symptomatic adrenal insufficiency during

inhaled corticosteroid treatment, 330

injury, Accidents and resulting injuries in premobile infants: data from the ALSPAC study, 104

An unusual cause of injury to an infant, 499 How common is abuse in Greece? Studying cases with femoral

fractures, 289

Randomised controlled trial assessing the impact of increasing information to health visitors about children's injuries, 366 insulin, Sex hormone binding globulin concentration as a prepubertal

marker for hyperinsulinaemia in obesity, 489 insulin-like growth factor I, Genetic determinants of bone mineral content in premature infants, F214

intelligence, Birth weight and cognitive function at age 11 years: the Scottish Mental Survey 1932, 189

intensive care, Reduction in case fatality rate from meningococcal disease associated with improved healthcare delivery, 386 interleukin 8, The significance of interleukin 8 in urine, 256

intracranial pressure, Non-traumatic coma in children, 303 intrathecal baclofen, Therapeutic choices in the locomotor management of the child with cerebral palsy—more luck than judgement?: current topic, 275

intraventricular haemorrhage, Effect of maternal tocolysis on the incidence of severe periventricular/intraventricular haemorrhage

in very low birthweight infants, F13 intubation, Use of the black area on the tubetip for rapid estimation of insertional depth of endotracheal tubes in neonates: a potential hazard: letter, F77

Intussusception associated intussusception. with meningitis, 56

invasive investigation procedures, Invasive procedures carried out in conscious children: contrast between North American and European paediatric oncology centres, 12

iron metabolism, Cord blood transferrin receptors to assess fetal iron

iron status, Newborns have unique confounding factors regarding the TfR-F ratio: letter, F146

Islam, Muslim families: Donating organs and asking for post mortems: letter, 79

journal, The accuracy of references in paediatric journals, 497

ketamine, Ketamine for procedural pain relief in newborn infants,

kidney, Nephrocalcinosis in preterm babies, F207

labour, The relation between pre-eclampsia at term and neonatal encephalopathy, F170

lactation, A randomised controlled trial to compare methods of milk

expression after preterm delivery, F91 language development disorders, Does early detection of otitis media with effusion prevent delayed language development?, 96 lawsone, Henna causes life threatening haemolysis in glucose-6-phosphate dehydrogenase deficiency, 411

LCHAD, Feeding difficulties in long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency, 487 lead, Should children with developmental and behavioural problems

be routinely screened for lead?, 286 learning difficulties, Neurological soft signs in mainstream pupils,

leptin, Postnatal changes in concentrations of free and bound leptin, F123

leukotriene E4, Increased urinary leukotriene E4 during febrile attacks in the hyperimmunoglobulinaemia D and periodic fever syndrome, 158

licensing, Medicines for children—the last century and the next: current topic, 177

life expectancy, Life expectancy in cerebral palsy: letter, 442 liquid paraffin, Liquid paraffin: a reappraisal of its role in the treatment of constipation, 121

liver failure, Serum ferritin level in neonatal fulminant liver failure: letter, F226

long chain 3-hydroxyacyl-CoA dehydrogenase deficiency, Feeding difficulties in long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency, 487

long lines, Placement of neonatal central venous catheter tips in the

right atrium: a practice to be avoided?: letter, F146
longitudinal cohort study, Behaviour and developmental effects of
otitis media with effusion into the teens, 91

looked-after children, Case-control study of the health of those looked after by local authorities, 280
 low birth weight, Outcome at 14 years of extremely low birthweight

infants: a regional study, F159

low maternal age, Changes in the epidemiological pattern of sudden infant death syndrome in southeast Norway, 1984–1998: implications for future prevention and research, 108 lung function, Effect of bacterial filters on spirometry measurements,

macrophage activation syndrome, Macrophage activation syndrome: a potentially fatal complication of rheumatic disorders, 421

male infertility, Other implications of disposable nappies: letter, 269 malignancy, De novo malignancy after paediatric renal replacement therapy, 478

malignant hypertension, Visual outcome of malignant hypertension in young people, 401

management, Evaluation of the role of the neonatal nurse

practitioner in resuscitation of preterm infants at birth, F96

Recent advances in cystic fibrosis, 62
mannose, Successful treatment of carbohydrate deficient glycoprotein syndrome type 1b with oral mannose, 339

medical ethics, Muslim families: Donating organs and asking for post mortems: letter, 79

medical history, Thomas Willis: the first paediatric neurologist?, 506 medication errors, Medication errors are NOT uncommon: letter, 174

medicine, Medicines for children-the last century and the next: cur-

menarche, Sickle cell disease and age at menarche in Jamaican girls: observations from a cohort study, 375

meningitis, Intussusception associated with bacterial meningitis, 56 Neurodevelopmental outcome in meningococcal disease: case-control study, 6

Safety of a new conjugate meningococcal C vaccine in infants, 391 meningococcaemia, The management of fever and petechiae: collaborative studies are needed: letter, 172

The management of fever and petechiae: collaborative studies are needed: letter, 172

The management of fever and petechiae: collaborative studies are needed: letter, 172
The management of fever and petechiae: collaborative studies are

needed: letter, 172

meningococcal, Neurodevelopmental outcome in meningococcal disease: a case–control study, 6 Safety of a new conjugate meningococcal C vaccine in infants, 391

meningococcal disease, Diagnostic assessment of haemorrhagic rash and fever, 160

Mortality in severe meningococcal disease, 382

Reduction in case fatality rate from meningococcal disease associated with improved healthcare delivery, 386 meningococcal infection, The child with a non-blanching rash: how

likely is meningococcal disease?, 218
mental development, Breast feeding and cognitive development at

age 1 and 5 years, 183 methadone, Can we use methadone for analgesia in neonates?: leader,

mevalonate kinase, Increased urinary leukotriene E₄ during febrile attacks in the hyperimmunoglobulinaemia D and periodic fever syndrome, 158

microlaryngoscopy, Severe upper airway obstruction caused by ulcerative laryngitis, 326

microscopic polyarteritis, The significance of antineutrophil cytoplasmic antibody in microscopic polyangitis and classic polyarteritis nodosa, 427

mid head circumference, Growth study of cri du chat syndrome, 337

middle aortic syndrome, Hypertension and facial palsy in middle aortic syndrome, 240

midwifery, Jacob Rueff (1500-1558) of Zurich and The expert midzvife: perinatal lesson, F222 midwives, A national review of neonatal resuscitation programmes for midwives: letter, F145

milk production, A randomised controlled trial to compare methods

of milk expression after preterm delivery, **F91 MMR**, MMR vaccine—worries are not justified: *leader*, **271**

mobility, Urinary calcium excretion in enterally fed disabled children, 58

monoarthritis, Rheumatic fever in a high incidence population: the importance of monoarthritis and low grade fever, 223

Rheumatic fever in a high incidence population: the importance of monoarthritis and low grade fever, 321

mortality, Mortality in severe meningococcal disease, 382
Outcome of very premature infants with necrotising enterocolitis

cared for in centres with or without on site surgical facilities, F114 The influence of congenital heart disease on survival of infants with oesophageal atresia, F204

motor skills, Breast feeding and cognitive development at age 1 and 5 years, 183

HFR gene polymorphism, Hyperhomocysteinaemia and MTHFR C677T gene polymorphism in renal transplant recipients, 47

multimedia, Double click for health: the role of multimedia in asthma education: leader, 447

muscle weakness, Cerebral palsy: not always what it seems: current topic, 356

myocardial infarction, Paradoxical embolism causing fatal myocardial infarction in a newborn infant, F137

nasal haemorrhage, Nasal and intrapulmonary haemorrhage in sudden infant death syndrome, 116

nasopharyngeal airway, Using a modified nasopharyngeal airway in Pierre Robin syndrome: letter, F76 necropsy, Evolving practice: letter, 442

necrotising enterocolitis, Outcome of very premature infants with necrotising enterocolitis cared for in centres with or without on

site surgical facilities, F114 neglect, Who is failing abused and neglected children?: controversy, 300 neonatal units, Dependency level of babies on the neonatal unit: a

comparison of two different classification systems, F173 neonates, Lingering death after treatment withdrawal in the neonatal

intensive care unit, F8 Neonatal paroxetine withdrawal syndrome or actually serotonin syndrome?: letter, F147

nephroblastoma, Long term complications of inferior vena cava

nephrocalcinosis, Nephrocalcinosis in preterm babies, F207

neurodevelopmental outcome, Neurodevelopmental outcome in

meningococcal disease: a case-control study, 6
neurological impairment, Neonatal severe intractable diarrhoea as the presenting manifestation of an unclassified congenital disorder of glycosylation (CDG-x), F217 neurological soft signs, Neurological soft signs in mainstream

pupils, 371

neurologist, Thomas Willis: the first paediatric neurologist?, 506 newborn, Hypernatraemic dehydration and breast feeding: a population study, 318

nicotine poisoning and toxicity, Acute nicotine poisoning associated with a traditional remedy for eczema, 500

nitrous oxide, Nitrous oxide and vitamin B₁₂: letter, 511 non-communicating, Pain in cognitively imp

non-communicating, Pain is communicating children, 460 impaired,

non-invasive, Non-invasive assessment of shunt and ventilation/ perfusion ratio in neonates with pulmonary failure, F127 non-traumatic, Non-traumatic coma in children, 303

Norwood procedure, Hypoplastic left heart syndrome—outcome and management: leader, 450

Outcome of staged reconstructive surgery for hypoplastic left heart syndrome following antenatal diagnosis, 474 nurse practitioner, Evaluation of the role of the neonatal nurse prac-

titioner in resuscitation of preterm infants at birth, F96 nursing of infants, Sir Hans Sloane (1660–1753) and the value of breast milk: perinatal lesson, F73

nutrition, Correlates of prepubertal bone mineral density in cystic fibrosis, 166

Maternal nutrition and pregnancy outcome: letter, 511
Pica in sickle cell disease: "She ate the headboard": letter, 510

nutritional supplements, Randomised controlled trial of postnatal sodium supplementation in infants of 25–30 weeks gestational age: effects on cardiopulmonary adaptation, F29

obesity, A critique of the expression of paediatric body composition

Energy metabolism in relation to body composition and gender in adolescents, 73

Sex hormone binding globulin concentration as a prepubertal marker for hyperinsulinaemia in obesity, 489

octanoylcarnitine, Evaluation of newborn screening for medium chain acyl-CoA dehydrogenase deficiency in 275 000 babies,

octreotide, Octreotide therapy: a new horizon in treatment of iatrogenic chyloperitoneum, 234

oesophageal atresia, The influence of congenital heart disease on survival of infants with oesophageal atresia, F204

oestrogen, Genetic determinants of bone mineral content in premature infants, F214

open lung biopsy, Methodology for assessing patterns of interstitial pneumonia in children: letter, 173

opioids, Can we use methadone for analgesia in neonates?: leader, F79 osteomyelitis, Radial osteomyelitis as a complication of venous cannulation, 408

osteopenia, Vertebral compression fractures in acute lymphoblastic leukaemia and remodelling after treatment, 492 otitis media, Behaviour and developmental effects of otitis media

with effusion into the teens, 91

otitis media with effusion, Does early detection of otitis media with effusion prevent delayed language development?, 96 otoacoustic emissions, Costs of different strategies for neonatal

hearing screening: a modelling approach, F177 overdose, Paracetamol overdose in a preterm neonate, F70

oxygen consumption, Oxygen consumption and resting energy expenditure during phototherapy in full term and preterm newborn infants, F49

saturation, Non-invasive assessment oxygen ventilation/perfusion ratio in neonates with pulmonary failure,

Oxygen saturation and retinopathy of prematurity: letter, F75 Two sacred cows of neonatal intensive care: letter, F75

paediatric oncology, Invasive procedures carried out in conscious children: contrast between North American and European paediatric oncology centres, 12

pain, Can we use methadone for analgesia in neonates?: leader, F79 Pain in cognitively impaired, non-communicating children, 460 Staff perception of pain on a neonatal intensive care unit: letter, F77

pain relief, Invasive procedures carried out in conscious children: contrast between North American and European paediatric oncology centres, 12

Ketamine for procedural pain relief in newborn infants, F53 pain scale, Development and initial validation of the EDIN scale, a new tool for assessing prolonged pain in preterm infants, F36

paracetamol, Paracetamol overdose in a preterm neonate, F70 parents, Drug misusing parents: key points for health professionals,

Parents and end of life decisions in neonatal practice: leading article,

paroxetine, Neonatal paroxetine withdrawal syndrome or actually serotonin syndrome?: letter, F147

patent ductus arteriosus, Closure of the ductus arteriosus and development of pulmonary branch stenosis in babies of less than 32 weeks gestation, F197

pericardial tamponade, Placement of neonatal central venous cath-

eter tips in the right atrium: a practice to be avoided?: letter, F146
periodic fever, Increased urinary leukotriene E₄ during febrile attacks
in the hyperimmunoglobulinaemia D and periodic fever syndrome, 158

peripheral gangrene, Peripheral gangrene during infancy: a rare presentation of systemic lupus erythematosus, 335

petechiae, Diagnostic assessment of haemorrhagic rash and fever, 160 petechial rash, The management of fever and petechiae: collaborative studies are needed: letter, 172

pH monitoring, Can pH monitoring reliably detect gastro-oesophageal reflux in preterm infants?, F155

phenotype, Congenital disorder of glycosylation type Ia (CDG-Ia): phenotype, Congenital disorder of glycosylation type Ia (CDG-Ia): phenotypic spectrum of the R141H/F119L genotype, 236

phosphomannomutase deficiency, Congenital disorder of glycosylation type Ia (CDG-Ia): phenotypic spectrum of the R141H/F119L genotype, 236

photochemotherapy, Photopheresis at onset of type I diabetes: a randomised double blind placebo controlled trial 149

randomised, double blind, placebo controlled trial, 149

photopheresis, Photopheresis at onset of type 1 diabetes: a randomised, double blind, placebo controlled trial, 149

phototherapy, Oxygen consumption and resting energy expenditure during phototherapy in full term and preterm newborn infants, F49

physical health, Case-control study of the health of those looked after by local authorities, 280

pica, Pica in sickle cell disease: "She ate the headboard": letter, 510 Pierre Robin syndrome, Using a modified nasopharyngeal airway in

Pierre Robin syndrome: letter, F76
placebo, Photopheresis at onset of type 1 diabetes: a randomised, double blind, placebo controlled trial, 149

pneumonia, Community acquired pneumonia: leader, 445

Methodology for assessing patterns of interstitial pneumonia in children: letter, 173

pneumothorax, Events before the diagnosis of a pneumothorax in ventilated neonates, F201

Port-A-Cath, Port-A-Cath use in refractory seizure disorders: letter, 510

positivity, Time to positivity of neonatal blood cultures, F182 positron emission tomography, Diagnostic and therapeutic impact of whole body positron emission tomography using fluorine-18-fluoro-2-deoxy-d-glucose in children with chronic granulomatous disease, 341

post-thrombotic syndrome, Long term complications of inferior vena cava thrombosis, 228

pre-eclampsia, The relation between pre-eclampsia at term and neonatal encephalopathy, F170

pregnancy, Changes in the epidemiological pattern of sudden infant death syndrome in southeast Norway, 1984–1998: implications for future prevention and research, 108 Maternal nutrition and pregnancy outcome: letter, 511

Newborns have unique confounding factors regarding the TfR-F ratio: letter, F146 premature, A randomised controlled trial to compare methods of

milk expression after preterm delivery, F91
Development and initial validation of the EDIN scale, a new tool for assessing prolonged pain in preterm infants, F36

premature infants, Health care utilisation of infants with chronic lung disease, related to hospitalisation for RSV infection, 463 Outcome of very premature infants with necrotising enterocolitis

cared for in centres with or without on site surgical facilities, F114

 prematurity, Factors affecting the incidence of chronic lung disease of prematurity in 1987, 1992, and 1997, F33
 Julius Hess, MD, (1876–1955) and the premature infant: perinatal lesson, F141

Oxygen saturation and retinopathy of prematurity: letter, F75 Two sacred cows of neonatal intensive care: letter, F75

prepubertal, Sex hormone binding globulin concentration as a

prepubertal marker for hyperinsulinaemia in obesity, 489
preterm, A randomised control study comparing the Infant Flow Driver with nasal continuous positive airway pressure in preterm infants, F86

Can pH monitoring reliably detect gastro-oesophageal reflux in preterm infants?, F155

Educational and behavioural problems in babies of 32-35 weeks gestation, F23

Evaluation of the role of the neonatal nurse practitioner in resuscitation of preterm infants at birth, F96

Frontal horn thin walled cysts in preterm neonates are benign, F187 Functional atrioventricular block in a preterm infant, F220

Ketamine for procedural pain relief in newborn infants, F53 Oxygen consumption and resting energy expenditure during phototherapy in full term and preterm newborn infants, F49

Paracetamol overdose in a preterm neonate, F70
Randomised controlled trial of postnatal sodium supplementation in infants of 25–30 weeks gestational age: effects on cardiopulmonary adaptation, F29

preterm babies, Staff perception of pain on a neonatal intensive care unit: letter, F77

preterm infants, A randomised controlled trial to compare methods of milk expression after preterm delivery, F91
Closure of the ductus arteriosus and development of pulmonary

branch stenosis in babies of less than 32 weeks gestation, F197
priapism, Management of sickle cell priapism with etilefrine, 52

primary school, Bullying involvement in primary school and

common health problems, 197

prolonged pain, Development and initial validation of the EDIN scale, a new tool for assessing prolonged pain in preterm infants,

prone sleeping, Changes in the epidemiological pattern of sudden infant death syndrome in southeast Norway, 1984–1998: implica-tions for future prevention and research, 108

protein losing enteropathy, Neonatal severe intractable diarrhoea as the presenting manifestation of an unclassified congenital disorder of glycosylation (CDG-x), F217

protracted deaths, Lingering death after treatment withdrawal in the neonatal intensive care unit, F8
Pseudomonas aeruginosa, Ophthalmic Pseudomonas infection in infancy,

F139

Pulmonary artery pressure, Randomised controlled trial of postnatal sodium supplementation in infants of 25–30 weeks gestational age: effects on cardiopulmonary adaptation, F29

Pulmonary branch stenosis, Closure of the ductus arteriosus and development of pulmonary branch stenosis in babies of less than 32 weeks gestation, F197

Pulmonary haemorrhage, Nasal and intrapulmonary haemorrhage in sudden infant death syndrome, 116

in sudden infant death syndrome, 116
pulse oximetry, Oxygen saturation and retinopathy of prematurity:

letter, F75

Oxygen saturation and retinopathy of prematurity—Authors' response: letter, F75

Two sacred cows of neonatal intensive care: letter, F75

Two sacred cows of neonatal intensive care—Authors' response: let-

purpura, The child with a non-blanching rash: how likely is meningo-

coccal disease⁵, 218

pyloric stenosis, The epidemiology of infantile hypertrophic pyloric stenosis in Sweden 1987–96, 379

pyloromyotomy, The epidemiology of infantile hypertrophic pyloric stenosis in Sweden 1987–96, 379

Quaker education, York, Alcuin, and Sir George Newman, 440 quality of care, Dependency level of babies on the neonatal unit: a comparison of two different classification systems, F173

quality of life, Quality of life in young adults with very low birth

randomised controlled trial, Double blind randomised controlled trial of topical glyceryl trinitrate in anal fissure, 404 rat bite, An unusual cause of injury to an infant, 499

readmissions, Hypernatraemic dehydration and breast feeding: a

population study, 318

recombinant tissue type plasminogen activator, Early intracardiac thrombosis in preterm infants and thrombolysis with recombinant tissue type plasminogen activator, F66

reference, The accuracy of references in paediatric journals, 497 refractory seizures, Port-A-Cath use in refractory seizure disorders: letter, 510

renal dysfunction, Nephrocalcinosis in preterm babies, F207
renal replacement therapy, De novo malignancy after paediatric
renal replacement therapy, 478
renal transplantation, Hyperhomocysteinaemia and MTHFR
C677T gene polymorphism in renal transplant recipients, 47

renal tubular acidosis, ARC syndrome: an expanding range of phenotypes, 415

respiratory disease, Factors affecting the incidence of chronic lung disease of prematurity in 1987, 1992, and 1997, F33

respiratory distress, A rare cause of respiratory distress: letter, F225 respiratory distress syndrome, A randomised control study comparing the Infant Flow Driver with nasal continuous positive airway pressure in preterm infants, F86

Respiratory distress syndrome and antenatal corticosteroid treatment in premature twins: letter, F77

respiratory syncytial virus, Health care utilisation of infants with chronic lung disease, related to hospitalisation for RSV infection, 463

resting energy expenditure, Oxygen consumption and resting energy expenditure during phototherapy in full term and preterm newborn infants, F49

resuscitation, A national review of neonatal resuscitation programmes for midwives: letter, F145
A survey of neonatal resuscitation training provided to general

professional trainees at neonatal units in England and Wales: letter, F225

Evaluation of the role of the neonatal nurse practitioner in resuscitation of preterm infants at birth, F96

reticulocytes, Cord blood transferrin receptors to assess fetal iron status, F46

retinal dysfunction, Vigabatrin associated retinal dysfunction in children with epilepsy, 469

retinopathy of prematurity, Oxygen saturation and retinopathy of prematurity: letter, F75

Two sacred cows of neonatal intensive care: letter, F75
Rett disorder, Characterisation of breathing and association autonomic dysfunction in the Rett disorder, 29

review, Inflammatory bowel disease, 435
Reye syndrome, Evaluation of newborn screening for medium chain

acyl-CoA dehydrogenase deficiency in 275 000 babies, F105 Reye syndrome—insights on causation and prognosis: leading article,

rheumatic disease, Macrophage activation syndrome: a potentially fatal complication of rheumatic disorders, 421 rheumatic fever, Rheumatic fever in a high incidence population: the

importance of monoarthritis and low grade fever, 223

Rheumatic fever in a high incidence population: the importance of monoarthritis and low grade fever, 321

Rickettsia conorii, Facial nerve palsy associated with Rickettsia conorii infection, 54

rickettsial infections, Facial nerve palsy associated with Rickettsia conorii infection, 54 risk factor, The management of fever and petechiae: collaborative

studies are needed: letter, 172
risk factors, Educational and behavioural problems in babies of

32-35 weeks gestation, F23 Genes and environment in asthma: a study of 4 year old twins, 398

salicylate, Reye syndrome—insights on causation and prognosis: lead-

ing article, 351 tigraphy, 99mTc-HMPAO leucocyte scintigraphy fails to detect scintigraphy,

Crohn's disease in the proximal gastrointestinal tract, 43 screening, Costs of different strategies for neonatal hearing screening: a modelling approach, F177

Should children with developmental and behavioural problems be routinely screened for lead?, 286

selective dorsal rhizotomy, Therapeutic choices in the locomotor management of the child with cerebral palsy—more luck than judgement?: current topic, 275

sepsis, Intussusception associated with bacterial meningitis, 56 Time to positivity of neonatal blood cultures, F182

serology, An intradermal skin test for determination of immunity to varicella, 484

serotonin reuptake inhibitors, Neonatal paroxetine withdrawal syndrome or actually serotonin syndrome?: letter, F147 serum creatinine, Changes in plasma creatinine in first 72 hours of

life: letter, F146

service provision, Dependency level of babies on the neonatal unit: a comparison of two different classification systems, F173 severe combined immunodeficiency, Neonatal bone marrow

transplantation for severe combined immunodeficiency, F110
SHBG, Sex hormone binding globulin concentration as a prepubertal marker for hyperinsulinaemia in obesity, 489 shunt, Non-invasive assessment of shunt and ventilation/perfusion

ratio in neonates with pulmonary failure, F127

SIADH, Management of hyponatraemia in patients with acute cerebral insults, 246 sickle cell anaemia, Management of sickle cell priapism with

etilefrine, 52 sickle cell disease, Pica in sickle cell disease: "She ate the

headboard": letter, 510 Sickle cell disease and age at menarche in Jamaican girls:

observations from a cohort study, 375

SIDS, Changes in the epidemiological pattern of sudden infant death syndrome in southeast Norway, 1984–1998: implications for future prevention and research, 108

Murder misdiagnosed as SIDS: a perpetrator's perspective, 454

skin test, An intradermal skin test for determination of immunity to

varicella, 484

sleeping, Relations between the development of patterns of sleeping heart rate and body temperature in infants, F133

smoking, Changes in the epidemiological pattern of sudden infant death syndrome in southeast Norway, 1984–1998: implications for future prevention and research, 108

social class, Birth weight and cognitive function at age 11 years: the Scottish Mental Survey 1932, 189

sodium and water balance, Randomised controlled trial of postna tal sodium supplementation in infants of 25–30 weeks gestational age: effects on cardiopulmonary adaptation, F29 solar disinfection, Solar disinfection of drinking water protects against cholera in children under 6 years of age, 293 South Africa, Impact of HIV-1 infection in South Africa, 50 spacers, Commentaries—read with caution!: letter, 268

specialist registrar, The outcome of specialist registrars in the southwest region: *letter*, 511 speech disorders, Does early detection of otitis media with effusion

prevent delayed language development?, 96
spermatogenesis, Other implications of disposable nappies: letter, 269
spinal manipulation, Diluted treatment effects?: letter, 268
Infantile colic and chiropractic spinal manipulation: letter, 268

sputum, Use of cough swabs in a cystic fibrosis clinic, 438

standardised mortality ratio, Mortality in severe meningococcal disease, 382 stature, Growth study of cri du chat syndrome, 337

sterilising tablets, Life threatening airway obstruction in a newborn following ingestion of sterilising tablet: letter, 443 steroid treatment, Disseminated candidiasis after steroid treatment

for early neonatal hypotension: letter, F226

streptococcus, Rheumatic fever in a high incidence population: the importance of monoarthritis and low grade fever, 223

Rheumatic fever in a high incidence population: the importance of monoarthritis and low grade fever, 321

sudden infant death syndrome, Nasal and intrapulmonary haemor-rhage in sudden infant death syndrome, 116 superior mesenteric artery, Prediction of early tolerance to enteral

feeding in preterm infants by measurement of superior mesenteric artery blood flow velocity, F42 surveillance, Nationwide study of haemolytic uraemic syndrome:

clinical, microbiological, and epidemiological features, 125 survival, Reduction in case fatality rate from meningococcal disease associated with improved healthcare delivery, 386

syringes, Adrenaline syringes: community perspective: *letter*, 512
Appropriate prescription of epinephrine remains the best available treatment: letter, 513

Controversies in paediatrics?: letter, 512 Reply: letter, 513

systematic review, Varicella vaccination-a critical review of the opic, 83

systemic lupus erythematosus, Peripheral gangrene during infancy: a rare presentation of systemic lupus erythematosus, 335

telephone interview, Quality of life in young adults with very low birth weight, F165

testicular function, Other implications of disposable nappies: letter, 269 testicular temperature, Other implications of disposable nappies:

letter, 269

tetraplegia, Cerebral palsy: not always what it seems: current topic, 356 thalassaemia, Haemoglobinopathy as a cause of nucleated red cells in the fetus and neonate: letter, F147

Thomas Willis, Thomas Willis: the first paediatric neurologist?, 506 thrombolysis, Treatment of neonatal thrombus formation with recombinant tissue plasminogen activator: six years experience and review of the literature, F18
thrombophlebitis, Radial osteomyelitis as a complication of venous

cannulation, 408

thrombosis, Early intracardiac thrombosis in preterm infants and thrombolysis with recombinant tissue type plasminogen activator,

Long term complications of inferior vena cava thrombosis, 228 Paradoxical embolism causing fatal myocardial infarction in a new-

born infant, F137 Treatment of neonatal thrombus formation with recombinant tissue plasminogen activator: six years experience and review of the literature, F18

thyroid nodule, Fine needle aspiration biopsy of thyroid nodules, 313 tissue plasminogen activator, Treatment of neonatal thrombus formation with recombinant tissue plasminogen activator; six years experience and review of the literature, F18

tocolytics, Effect of maternal tocolysis on the incidence of severe periventricular/intraventricular haemorrhage in very low birthweight infants, F13

toxicity, Paracetamol overdose in a preterm neonate, F70

tracheal suction, Ketamine for procedural pain relief in newborn traditional remedy, Acute nicotine poisoning associated with a

traditional remedy for eczema, 500 training, A survey of neonatal resuscitation training provided to general professional trainees at neonatal units in England and Wales: letter, F225

Routine neonatal examination: effectiveness of trainee paediatrician compared with advanced neonatal nurse practitioner, F100

The outcome of specialist registrars in the southwest region: letter,

transfer, Outcome of very premature infants with necrotising enterocolitis cared for in centres with or without on site surgical facilities, F114

transferrin receptors, Cord blood transferrin receptors to assess fetal iron status, F46

Newborns have unique confounding factors regarding the TfR-F ratio: letter, F146

transillumination, Events before the diagnosis of a pneumothorax in ventilated neonates, F201 triage, Triage in the developing world—can it be done?, 208

twin studies, Genes and environment in asthma: a study of 4 year old

twins, 398
twins, Respiratory distress syndrome and antenatal corticosteroid treatment in premature twins: letter, F77

UK, Advocating for children's health: a US and UK perspective, 180 ulcerative colitis, Inflammatory bowel disease, 435 ulcerative laryngitis, Severe upper airway obstruction caused by

ulcerative laryngitis, 326

ultrasound, Asymmetry of fetal cerebral hemispheres: in utero ultrasound study. F194

Frontal horn thin walled cysts in preterm neonates are benign, F187 unlicensed, Medicines for children—the last century and the next: current topic, 177

urinary tract infection, DMSAs after UTI-scan more children, not less: letter, 348

The significance of interleukin 8 in urine, 256 urine specific gravity, Dipstick measurements of urine specific gravity are unreliable, 155

USA, Advocating for children's health: a US and UK perspective, 180 utilisation, Recent trends in hospital use by children in England, 203

vaccine, MMR vaccine-worries are not justified: leader, 271

Safety of a new conjugate meningococcal C vaccine in infants, 391 validation, Development and initial validation of the EDIN scale, a new tool for assessing prolonged pain in preterm infants, F36

varicella, An intradermal skin test for determination of immunity to varicella, 484

Varicella vaccination—a critical review of the evidence: current topic, 83

vasculitis, Peripheral gangrene during infancy: a rare presentation of systemic lupus erythematosus, 335
 vena cava, Long term complications of inferior vena cava thrombosis,

venous cannulation, Radial osteomyelitis as a complication of venous

cannulation, 408 ventilation, A randomised controlled trial of two methods of deliver-

ing nasal continuous positive airway pressure after extubation to infants weighing less than 1000 g: binasal (Hudson) versus single nasal prongs, F82 Events before the diagnosis of a pneumothorax in ventilated neonates, F201

vertebral collapse, Vertebral compression fractures in acute lympho-

blastic leukaemia and remodelling after treatment, 492 very low birth weight, Early intracardiac thrombosis in preterm infants and thrombolysis with recombinant tissue type plasmino-

gen activator, F66
Effect of maternal tocolysis on the incidence of severe periventricular/intraventricular haemorrhage in verv birthweight infants, F13
Quality of life in young adults with very low birth weight, F165

vigabatrin, Vigabatrin associated retinal dysfunction in children with

epilepsy, 469
V_A/Q, Non-invasive assessment of shunt and ventilation/perfusion ratio in neonates with pulmonary failure, F127

viral infection, Reye syndrome—insights on causation and prognosis: leading article, 351 virus, Hospital acquired computervirus infections, 496

vision, Visual outcome of malignant hypertension in young people,

vitamin D receptor, Genetic determinants of bone mineral content in premature infants, F214

weight, Growth study of cri du chat syndrome, 337

wheeze, Persistent wheezing in infants with an atopic tendency responds to inhaled fluticasone, 143

wheezing, Total serum IgE and outcome in infants with recurrent wheezing, 23

whiplash shaking injury, Thomas Willis: the first paediatric neurologist?, 506

white matter, Hydrocephalus-what's new?: leading article, F149 withdrawal, Neonatal paroxetine withdrawal syndrome or actually serotonin syndrome?: letter, F147

withdrawal of treatment, Consent to autopsy for neonates, F4 Lingering death after treatment withdrawal in the neonatal intensive care unit, F8



